

# COPYRIGHT:

DEUTSCH

DIESE DRUCKSCHRIFT UND ALLE IHRE BESTANDTEILE IST URHEBERRECHTLICH GESCHÜTZT.

ABBILDUNGEN, GRAFISCHE DARSTELLUNGEN, TEXTE ODER DIE DRUCKSCHRIFT INSGESAMT ODER IN TEILEN DÜRFEN NICHT OHNE VORHERIGE SCHRIFTLICHE GENEHMIGUNG NACHGEDRUCKT ODER SONST REPRODUZIERT WERDEN (Z. B. AUF CD-ROM ODER IM INTERNET).

WENN SIE DIESE PDF-DATEI FÜR IHREN PERSÖNLICHEN GEBRAUCH VON UNSERER INTERNET-SEITE KOPIERT HABEN, MÖCHTEN WIR DARAUF HINWEISEN, DASS ALLE DORT ZUR VERFÜGUNG GESTELLTEN DATEIEN OHNE JEDEN WEITERN HINWEIS AUF DEN NEUESTEN TECHNISCHEN STAND GEBRACHT WERDEN. DIE ÄNDERUNG VON TECHNISCHEN DATEN UND LIEFERUMFANG IST DAHER VORBEHALTEN.

# COPYRIGHT:

## ENGLISH

ALL ARTWORK, PICTURES AND TEXTS ARE COVERED BY OUR COPY-RIGHT.

THEY MUST NOT BE COPIED FOR REPRODUCTION (E.G. ON CD-ROM DISKS OR INTERNET-SITES) OR USED IN THEIR ENTIRE FORM OR IN EXCERPTS WITHOUT OUR PREVIOUS WRITTEN AGREEMENT.

IF YOU ARE DOWNLOADING PDF-FILES FROM OUR INTERNET HOME-PAGE FOR YOUR PERSONAL USE, MAKE SURE TO CHECK FOR UPDATED VERSIONS.

WE CANNOT TAKE ANY LIABILITY WHATSOEVER FOR DOWNLOADED FILES, AS TECHNICAL DATA ARE SUBJECT TO CHANGE WITHOUT NOTICE.


# ARRI



MB-19



4"x5,65"  
Production Matte Box MB-19



The 4"x5,65" Production Matte Box MB-19 System

Item	Ident-No.	Description
1	K2.47099.0	4"x5.65" Production Matte Box MB-19 with french flag holder
2	K5.48613.0	French flag holder (in item 1)
3	K2.47108.0	Set of masks for 16 mm lenses with 9.5-180 mm focal length
	K2.47109.0	Set of masks for 35 mm lenses with 18-180 mm focal length
4	K2.47100.0	Additional filter stage for one 4"x5.65" filter and one round filter 138 mm dia.
5	K2.47223.0	138 mm filter ring with retaining ring dia. 87 mm for Zeiss Vario-Sonnar T2/10-100 II and T2.2/11-110
6	K2.47226.0	Insert ring dia. 80 mm for prime lenses and Zeiss Vario-Sonnar 2/10-100 (item 5 necessary)
7	K2.47190.0	138 mm filter ring with retaining ring dia. 114 mm for Zeiss Distagon 1.8/14 and Angenieux 10-120/11.5-138
8	K2.47222.0	138 mm filter ring with retaining ring dia. 100 mm
9	K2.47224.0	Insert ring dia. 95 mm for Canon 7-56 and 8-64 and 11.5-138 (item 8 necessary)
	K2.47225.0	Insert ring dia. 87 mm for Zeiss Vario-Sonnar T2/10-100 II and T2.2/11-110 and Century T 1.9/6 (item 8 necessary)
10	K2.49099.0	Adapter for 4 1/2" round filter (for items 5, 7 and 8)
11	K0.59995.0	Light shield set (top flag K2.47103.0 and side flags, pair K2.47106.0)
12	K2.47103.0	Top flag (in item 11)
13	K2.47106.0	Side flags, pair (in item 11)
14	K2.47101.0	Adapter for Bridge plate with support rods 19 mm dia.
15	K2.47102.0	Adapter for bridge plate with support rods 15 mm dia.
16	K2.47104.0	4"x4" filter frame (for item 1)
17	K2.47105.0	4"x4" filter frame (for items 1 and 4)
18	K4.47514.0	4"x5.65" filter frame horizontal (in item 1, spare )
19	K4.47493.0	4"x5.65" filter frame vertical (in items 1 and 4, spare)
	K2.47116.0	Case for productions matte box and accessories

## 4" x 5,65" Production Matte Box MB-19

The MB-19 is a compact, lightweight production matte box which is ideally suited for use with the ARRIFLEX 16SR3 in Super 16 format. When mounted on the new lightweight support LWS-3, graduated filters can be pushed through unhindered. Side flags with adjustable segments, used in conjunction with the top light shield provide optimum protection against unwanted light. Also available are sets of clip-on mattes for use with both 16 mm and 35 mm formats. By use of additional adapters the matte box can also be mounted on the 15 or 19 mm support rods of conventional bridge plates, for use with 35 mm camera as well as with the 16 SR.

The MB-19 is supplied with a filter stage for two 4" x 5.65" filters. The front filter can be pushed through vertically, the rear filter can be displaced horizontally and additionally rotated. The filter stage is fitted with a rear receptacle for 138 mm diameter filter rings as well as for an additional filter stage for one 4" x 5.65" filter and one 138 mm round filter.

To simplify lens changing, the matte box swings out. For quick adaptation to different lens lengths, the matte box can be moved back and forth with a lockable adjustment knob. A holder for secure mounting of french flags is included.

### Technical data:

Min. focal length with 16 mm lenses (Super 16)	6 mm
Mini. focal length with 35 mm lenses (Super 35)	14 mm
Max. numbers of filters (with Additional filter stage)	three 4" x 5,65" filters and one 138 mm round filter
Dimensions	270 x 220 x 95 mm (10.6 x 8.7 x 3.7 in)
Weight	approx. 800 g (1.8 lbs.)



ARNOLD & RICHTER CINE TECHNIK

TÜRKENSTR. 89 • D-80799 MÜNCHEN • TEL. (089) 3809-0  
FAX (089) 3809-1244 • <http://www.arri.com>