

# Ground Glasses and Masks - DIN Super 35 Formats



CONFIGURATION OVERVIEW – 2.7.1 / 2012.04

© 2010 Arnold & Richter Cine Technik GmbH & Co. Betriebs KG. All rights reserved. This material is provided "as is" for information purposes only without any warranty. ARRI assumes no responsibility with regard to the performance or use of the products or typographical errors or inaccuracies of given information. Product specifications are subject to change without notice. For a full listing of all available components consult the price list.

\*) All dimensions listed for camera aperture

\*\*) Universal Aperture Format Mask for all DIN S35 Formats: K5.42392.0

Aperture Format Mask Set available with 11 masks: K2.54179.0


No time Code Exposure possible with ARRIFLEX 435/535

Format Aperture und ARRIGLOW Masks not available for ARRIFLEX 235

For additional information, please refer to the [ARRI FORMAT GUIDE \(PDF\)](#)

**DIN Super 35** (DIN S35) This format was originally developed in the 1950s to use a maximum recording space of 24 mm width without a sound track. The format was standardized in an (DIN) industry norm.


## ARRICAM Studio & Lite




## ARRIFLEX 435, 535, 235




No.	Category	Perforation	Format	Dimensions*	Ground Glass	Frameglow Mask**	Aperture Format Mask **	Ground Glass	ARRIGLOW Mask**	Aperture Format Mask**	435 Capping Shutter Mask
1	DIN S35	4 only	Silent 1.33	24 x 18	n.a.	n.a.	n.a.	K2.44420.E	K2.47005.3	K5.42392.0	K2.52062.0
2	DIN S35	3 & 4	2.35 off center	24 x 10,5	n.a.	n.a.	n.a.	K2.44420.F	K2.47018.3	K5.41477.0	K2.52068.0
3	DIN S35	3 & 4	1.85	24 x 13	n.a.	n.a.	n.a.	K2.44420.G	K2.47009.3	K5.44305.0	K2.52064.0
4	DIN S35	3 & 4	2.35 + 1.85 common top	24 x 13	n.a.	n.a.	n.a.	K2.44420.H	K2.47172.3	K5.44305.0	K2.52064.0
5	DIN S35	4 only	1.85 TV 1.33 safe	24 x 14,4	n.a.	n.a.	n.a.	K2.44420.I	K2.47059.3	K5.41476.0	K2.52067.0
6	DIN S35	3 & 4	2.35 centric	24 x 10,5	n.a.	n.a.	n.a.	K2.44420.W	K2.47035.3	K5.42393.0	K2.52063.0
7	DIN S35	3 & 4	TV 1.78 safe	24 x 13,5	n.a.	n.a.	n.a.	K2.44420.2	K2.47008.3	K5.41474.0	K2.52065.0
8	DIN S35	4 only	TV 1.33 safe	24 x 18	n.a.	n.a.	n.a.	K2.41200.F	K2.47281.3	K5.42392.0	K2.52062.0




1) DIN Super 35  
Silent 1.33  
(4 perforation only)




2) DIN Super 35  
2.35 off center  
(3 & 4 perforation)




3) DIN Super 35  
1.85  
(3 & 4 perforation)




4) DIN Super 35  
2.35 + 1.85 common top  
(3 & 4 perforation)




5) DIN Super 35  
1.85 + TV 1.33 safe  
(3 & 4 perforation)



6) DIN Super 35  
2.35 centric  
(3 & 4 perforation)



7) DIN Super 35  
TV 1.78 safe  
(4 perforation only)



8) DIN Super 35  
TV 1.33 safe  
(4 perforation only)