



AMIRA
The power of
ARRIRAW

11 / AMIRA
Cinematic Multicam
in HDR

14 / Workflow Solutions



16 / Signature Prime Lenses



PCA Mechanical Accessoires







SUP 4.0

ALEXA LF

Software Update Package 4.0 for enhanced functionality

ALEXA LF cameras are busy at work on feature films, TV series and commercials all over the world. Now with SUP 4.0 there are significant new features, compatibility with ARRI LBUS accessories and important bug fixes.



- New anamorphic de-squeeze factors: 1.65x and 1.80x
- LBUS support: cforce mini motors, Operator Control Unit OCU-1, Master Grips, LCUBEs through LCS
- EXT Sync: sensor sync and settings sync
- · Separate MAGNIFY values for each sensor mode
- Project frame rate changes sensor and SDI frame rates
- Improved dynamic defect pixel correction



New Electronic Viewfinder EVF-2 for ALEXA LF

A high definition view to capture outstanding images

- Full HD resolution and higher contrast
- Glass eyepiece based on ARRICAM/AMIRA design
- Enables better evaluation of focus, dynamic range and color
- Proven robust housing and controls
- · Improved image science
- EVF-2 requires Software Update Package ALEXA LF SUP 3.0



ALEXA Mini

So small, so compact, so full of capabilities





ARRI Vertical Format Adapter

Shooting portraits with ALEXA Mini

Want some "portrait" footage for your mobile phone or tablet optimized content? Easily rotate your ALEXA Mini 90° from its usual set-up with 4 identical adapters threaded into Mini Adapter Plate MAP-1/MAP-2. The Vertical Viewfinder Adapter allows your viewfinder an accurate framing of your vertically filmed scene.



Vertical Viewfinder Adapter



Vertical Format Adapter

The perfect match for ALEXA Mini

Less worries about empty batteries with Advanced Power Unit Smart APU. It facilitates fast-paced filming by keeping camera and accessories powered during battery changes.



V-mount battery plate with hot swap buffer




Gold mount battery plate with hot swap buffer

ARRI Signature Primes now compatible with ALEXA Mini

Get the unique look of ARRI Signature Primes or other lenses fitting an LPL mount for your ALEXA Mini – with the dedicated LPL mount.



ARRI LPL mount for ALEXA Mini





New Multicam Components

For more efficient and cost-effective workflow


DTS 1U FBS Fibre Base Station

- Single 1U unit, combines all functions of previous FBS, ERI and PSU in one single frame
- · Easy to integrate
- · Standard BNC connectors
- 4x3G SDI output
- Optional additional single 12G SDI output

Skaarhoi RCPv2

- Next generation Remote Control Panel
- Combines classic RCP handling with state of the art technology
- Full replication of Sony RCP usage
- · Fully configurable
- Supports ARRI CAP protocol to control various camera functions not covered by regular RCPs





PERFECT WORKFLOW

Check out all the useful tools that will help you get the most from your next shoot:





ARRI Lens Illumination Guide

A visual online guide to how different lenses illuminate different sensor sizes, sensor modes, and target aspect ratios.



ARRI Frameline Composer

Easily create custom framelines online, based on your specific requirements.



Formats & Data Rate Calculator

Calculate duration and data rates online for ARRI cameras.



Camera Simulator

An interactive online training tool for familiarizing yourself with the menu navigation of ARRI cameras.

Signature Prime Lenses

Beautiful images, lightweight casing, timeless aesthetic

The first Signature Prime lenses are already on set, helping DPs and camera operators capture warm, emotive images. New focal lengths are being added to those currently available almost every month - check out the schedule for new releases.

Signature Prime







Operator Control Unit OCU-1

Offering camera operators the possibility to take control of lens functions



Operator's lens control

Focus, iris, zoom control, with additional assignable user buttons for small rigs including motorized EF lenses.

WCU-4 override

Lets operators take control of focus, iris, and zoom at the touch of a button. Saves time while framing a shot and enables focus adjustments if necessary.



Lightweight Matte Box LMB 6x6

A big brother for the LMB 4x5

The new Lightweight Matte Box LMB 6x6 is a robust and adaptable addition to ARRI's LMB range. It allows for the same level of flexibility and creative possibilities as the LMB 4x5, but for 6.6"x 6.6" filter size.






Lightweight Matte Box LMB 4x5

Main Features of the LMB 6x6

- 6.6"x 6.6" filter size
- 10 degrees up or down tilting
- · Streamlined and light design
- Altering applications without supplementary tools
- Also for use with gimbals, drones, and Steadycam rigs



Crew Supplies - Unit Bags II

A practical way to organize and transport gear and accessories

The Unit Bags II offer a rugged solution for organizing and protecting equipment on set. The exterior is constructed from a highly durable, waterproof material, while the interior is fully lined and padded to provide protection from the rigors of life on set.



- · Highly protective
- Detachable dividers and pouches for an individually adjustable inner surface
- Durable and waterproof material
- Available in three sizes

Unit Bag Small II

Compact, but providing a surprising amount of room for your kit. It comes with three differently sized exterior pockets and three removable accessory pouches. Elastic drawstring, and cord lock on outside of the lid allow for adding extra items on top.

Unit Bag Medium II

It is easily carried with comfortable cloth handles or used as a backpack for short distances with the two included shoulder straps. In addition to three exterior pockets, the medium bag comes with a detachable zipped document bag on top of the lid.

Unit Bag Large II

Ample room for everything you need on set. The main compartment is customizable with soft yet durable dividers, which come in different sizes. The bag's exterior pockets are augmented by additional two can or bottle pouches. The large bag comes also with a detachable zipped document bag.






- Digital interpretation of classic ARRI crank wheels
- · Driven by LBUS technology
- · Highly modular design and workflow



SUP 2.0

The Digital Remote Wheels require SRH-3 SUP 2.0. This Software Update Package offers various new features and improvements, including a top shot function which allows the SRH-3 to tilt from +60° to -110° and roll +/-90°.







"The learning environment is just all about learning and growing as a technician, DP or DIT. That is very special about this course or ARRI Academy specifically. It is not about a sales opportunity, it is about making you a better person in your role on set."

Michael Bull, DIT, Camera Systems, Auckland

"This to me was like a condensed film school in a very intimate environment with the highest caliber of instruction that you could possibly receive."

Justin Schenk, VFX Supervisor & AC, Camera Systems, Burbank



For more information and to register for training: www.arri.com/academy





Want to have this booklet digitally?