

Lighting – Product Catalog 03/2025

EMEA V1.0

LED

Daylight

Ballasts

Tungsten

Professional Lighting Accessories




TABLE OF CONTENTS - QUICK NAVIGATION


SETS & KITS



LED Sets & Kits



Tungsten Kits



M-Series Sets



Daylight Sets

LED



SkyPanel X



SkyPanel Pro



SkyPanel Classic



Orbiter



L-Series Plus

TED



M-Series



True Blue D



**ARRI Daylight
18/12**



**Electronic
Ballasts**



ARRILITE Plus



ARRI Junior



True Blue T



True Blue ST



**True Blue ST
Theater**



STUDIO T

PLA



PLA





LED SETS & KITS

SkyPanel X Packages	8
S60 Pro Sets	12
S360-C Kits	14
Orbiter Sets	15

TUNGSTEN KITS

Softbank I Plus Kit	17
Softbank IV Plus Kit	18
ARRI 650 Plus Kit	18
ARRI 300/650 Plus Combo Kit	19

DAYLIGHT SETS

M-Series Sets	20
True Blue D Sets	23

LED

SkyPanel X	30
SkyPanel S60 Pro	34
SkyPanel S30-C	38
SkyPanel S120-C	42
SkyPanel S360-C	46
Orbiter	50
L-Series L5-C Plus	54
L-Series L7-C Plus	58



DAYLIGHT

M-Series M8	64
M-Series M18	66
M-Series M40	68
M-Series M90	70
M-Series ARRIMAX 18/12	72
True Blue D5	76
True Blue D12	78
True Blue D25	80
True Blue D40	82
ARRI Daylight 18/12	86

BALLASTS

Electronic Ballasts - Max Range	92
Electronic Ballasts - High Speed	92
Electronic Ballasts - Basic	93

TUNGSTEN

ARRILITE 750 Plus	96
ARRILITE 2000 Plus	98
ARRI 150	100
ARRI 300 Plus	102
ARRI 650 Plus	104
True Blue T1	106
True Blue T2	108
True Blue T5	110



TUNGSTEN

True Blue ST1	112
True Blue ST2/3	114
True Blue ST5	116
True Blue ST1/2 Theater	118
True Blue ST5 Theater	119
STUDIO T12	120
STUDIO T24	122

PLA - PROFESSIONAL LIGHTING ACCESSORIES


Optics	126
Lamphead Control	127
Diffusion, Spill Rings, Snoots & Louvers	128
Barndoors	131
Scrim & Scrim Bags	133
Filter Frames	136
Softboxes, Accessory Holders & Speed Rings	137
Grip	141
Cables	144
Stands, Wheels & Operating Poles	147
Cases (empty)	149
Lamps	150
Lenses	152
Other Accessories	153



This page is intentionally left blank.




SETS & KITS




LED Sets & Kits



Tungsten Kits



M-Series Sets



Daylight Sets



LED SETS & KITS



SKYPANEL X PACKAGES

L0.0049589 X21 Soft & Hard Light Package (Schuko)

1x L1.0048487	SkyPanel X, incl. X21 Dome
1x L2.0048580	X21 HyPer Optic
1x L2.0048844	ALL-WEATHER Control Panel
1x L2.0048577	X21 Manual Yoke incl. Spigot
1x L2.0007516	Mains cable, 3 m, powerCON TRUE1 TOP Schuko (16 A)

L0.0049599 X21 Soft & Hard Light Package (Edison)

1x L1.0048487	SkyPanel X, incl. X21 Dome
1x L2.0048580	X21 HyPer Optic
1x L2.0048844	ALL-WEATHER Control Panel
1x L2.0048577	X21 Manual Yoke incl. Spigot
1x L2.0007515	Mains cable, 3 m, powerCON TRUE1 TOP Edison (15 A)

L0.0051697 X21 Soft & Hard Light Package black (Edison)

1x L1.0048488	SkyPanel X black incl. X21 Dome
1x L2.0048580	X21 HyPer Optic
1x L2.0048844	ALL-WEATHER Control Panel
1x L2.0048577	X21 Manual Yoke incl. Spigot
1x L2.0007515	Mains cable, 3 m, powerCON TRUE1 TOP Edison (15 A)

L0.0049597 X21 Soft & Hard Light Package (Chinese)

1x L1.0048487	SkyPanel X incl. X21 Dome
1x L2.0048580	X21 HyPer Optic
1x L2.0048844	ALL-WEATHER Control Panel
1x L2.0048577	X21 Manual Yoke incl. Spigot
1x L2.0049581	Mains cable, 3 m, powerCON TRUE1 TOP for China (10 A)



SKYPANEL X PACKAGES

L0.0049598 X21 Soft & Hard Light Package (Japanese)

1x L1.0048487	SkyPanel X, incl. X21 Dome
1x L2.0048580	X21 HyPer Optic
1x L2.0048844	ALL-WEATHER Control Panel
1x L2.0048577	X21 Manual Yoke incl. Spigot
1x L2.0010231	Mains cable, 3 m, powerCON TRUE1 TOP Japanese (15 A)

L0.0049805 X21 Soft & Hard Light Package (Australian)

1x L1.0048487	SkyPanel X, incl. X21 Dome
1x L2.0048580	X21 HyPer Optic
1x L2.0048844	ALL-WEATHER Control Panel
1x L2.0048577	X21 Manual Yoke incl. Spigot
1x L2.0050711	Mains cable, 3 m, powerCON TRUE1 TOP Australian (10 A)

**L0.0050399 X21 Soft & Hard Light Package black
(Bare Ends CE)**

1x L1.0048488	SkyPanel X black incl. X21 Dome
1x L2.0048580	X21 HyPer Optic
1x L2.0048844	ALL-WEATHER Control Panel
1x L2.0048577	X21 Manual Yoke incl. Spigot
1x L2.0005974	Mains cable, 3 m, powerCON TRUE1 TOP Bare Ends / CE (16 A)



SKYPANEL X22 PACKAGES

L0.0049826 X22 Soft & Hard Light Package (Schuko)

2x L1.0048487	SkyPanel X, incl. X21 Dome
2x L2.0048580	X21 HyPer Optic
1x L2.0048844	ALL-WEATHER Control Panel
1x L2.0049573	X Modular Yoke, incl. Spigot
1x L2.0049577	X22 Modular Frame, incl. Daisy Chain Cabling Ethernet & Power
1x L2.0007516	Mains cable, 3 m, powerCON TRUE1 TOP Schuko (16 A)

L0.0049825 X22 Soft & Hard Light Package (Bare Ends CE)

2x L1.0048487	SkyPanel X, incl. X21 Dome
2x L2.0048580	X21 HyPer Optic
1x L2.0048844	ALL-WEATHER Control Panel
1x L2.0049573	X Modular Yoke, incl. Spigot
1x L2.0049577	X22 Modular Frame, incl. Daisy Chain Cabling Ethernet & Power
1x L2.0005974	Mains cable, 3 m, powerCON TRUE1 TOP Bare Ends / CE (16 A)

L0.0049827 X22 Soft & Hard Light Package (Bare Ends UL)

2x L1.0048487	SkyPanel X, incl. X21 Dome
2x L2.0048580	X21 HyPer Optic
1x L2.0048844	ALL-WEATHER Control Panel
1x L2.0049573	X Modular Yoke, incl. Spigot
1x L2.0049577	X22 Modular Frame, incl. Daisy Chain Cabling Ethernet & Power
1x L2.0049452	Mains cable, 3 m, powerCON TRUE1 TOP Bare Ends / UL (20 A)



SKYPANEL X23 PACKAGES

L0.0049595 X23 Soft & Hard Light Package (Schuko)

3x L1.0048487	SkyPanel X, incl. X21 Dome
3x L2.0048580	X21 HyPer Optic
1x L2.0048844	ALL-WEATHER Control Panel
1x L2.0049573	X Modular Yoke, incl. Spigot
1x L2.0049570	X23 Modular Frame, incl. Daisy Chain Cabling Ethernet & Power
1x L2.0007516	Mains cable, 3 m, powerCON TRUE1 TOP Schuko (16 A)

L0.0049594 X23 Soft & Hard Light Package (Bare Ends CE)

3x L1.0048487	SkyPanel X, incl. X21 Dome
3x L2.0048580	X21 HyPer Optic
1x L2.0048844	ALL-WEATHER Control Panel
1x L2.0049573	X Modular Yoke, incl. Spigot
1x L2.0049570	X23 Modular Frame, incl. Daisy Chain Cabling Ethernet & Power
1x L2.0005974	Mains cable, 3 m, powerCON TRUE1 TOP Bare Ends / CE (16 A)

L0.0049593 X23 Soft & Hard Light Package (Bare Ends UL)

3x L1.0048487	SkyPanel X, incl. X21 Dome
3x L2.0048580	X21 HyPer Optic
1x L2.0048844	ALL-WEATHER Control Panel
1x L2.0049573	X Modular Yoke, incl. Spigot
1x L2.0049570	X23 Modular Frame, incl. Daisy Chain Cabling Ethernet & Power
1x L2.0049452	Mains cable, 3 m, powerCON TRUE1 TOP Bare Ends / UL (20 A)



S60 PRO SETS

L0.0052499 S60 Pro MAN blue/silver (Schuko) NEW

L1.0052046 S60 Pro incl. Diffusion, blue/silver
L2.0052260 S60 Pro Manual Yoke incl. Spigot
L2.0007516 Mains cable, 3 m, powerCON TRUE1 TOP
Schuko (16 A)

L0.0052500 S60 Pro MAN black (Schuko) NEW

L1.0052047 S60 Pro incl. Diffusion, black
L2.0052260 S60 Pro Manual Yoke incl. Spigot
L2.0007516 Mains cable, 3 m, powerCON TRUE1 TOP
Schuko (16 A)

L0.0052501 S60 Pro MAN blue/silver (Edison) NEW

L1.0052046 S60 Pro incl. Diffusion, blue/silver
L2.0052260 S60 Pro Manual Yoke incl. Spigot
L2.0007515 Mains cable, 3 m, powerCON TRUE1 TOP
Edison (15 A)

L0.0052502 S60 Pro MAN black (Edison) NEW

L1.0052047 S60 Pro incl. Diffusion, black
L2.0052260 S60 Pro Manual Yoke incl. Spigot
L2.0007515 Mains cable, 3 m, powerCON TRUE1 TOP
Edison (15 A)

L0.0052503 S60 Pro MAN blue/silver (Bare Ends) NEW

L1.0052046 S60 Pro incl. Diffusion, blue/silver
L2.0052260 S60 Pro Manual Yoke incl. Spigot
L2.0005974 Mains cable, 3 m, powerCON TRUE1 TOP
Bare Ends / CE (16 A)

L0.0052504 S60 Pro MAN black (Bare Ends) NEW

L1.0052047 S60 Pro incl. Diffusion, black
L2.0052260 S60 Pro Manual Yoke incl. Spigot
L2.0005974 Mains cable, 3 m, powerCON TRUE1 TOP
Bare Ends / CE (16 A)



S60 PRO SETS

L0.0052505 S60 Pro P.O. blue/silver (Bare Ends) NEW

L1.0052046 S60 Pro incl. Diffusion, blue/silver
L2.0052261 S60 Pro P.O. Yoke incl. Spigot
L2.0005974 Mains cable, 3 m, powerCON TRUE1 TOP
Bare Ends / CE (16 A)

L0.0052506 S60 Pro P.O. black (Bare Ends) NEW

L1.0052047 S60 Pro incl. Diffusion, black
L2.0052261 S60 Pro P.O. Yoke incl. Spigot
L2.0005974 Mains cable, 3 m, powerCON TRUE1 TOP
Bare Ends / CE (16 A)

L0.0052507 S60 Pro MAN blue/silver (Chinese) NEW

L1.0052046 S60 Pro incl. Diffusion, blue/silver
L2.0052260 S60 Pro Manual Yoke incl. Spigot
L2.0049581 Mains cable, 3 m, powerCON TRUE1 TOP
for China (10 A)

L0.0052508 S60 Pro MAN blue/silver (Japanese) NEW

L1.0052046 S60 Pro incl. Diffusion, blue/silver
L2.0052260 S60 Pro Manual Yoke incl. Spigot
L2.0010231 Mains cable, 3 m, powerCON TRUE1 TOP
Japanese (15 A)

L0.0052509 S60 Pro MAN blue/silver (Australia) NEW

L1.0052046 S60 Pro incl. Diffusion, blue/silver
L2.0052260 S60 Pro Manual Yoke incl. Spigot
L2.0050711 Mains cable, 3 m, powerCON TRUE1 TOP
Australian (10 A)



S360-C KITS

L0.0016335 S360-C Kit (Schuko / Edison)

1x L1.0015122	S360-C, blue/silver
1x L2.0016078	Carbon Fiber Yoke for S360-C (incl. Pin)
1x L2.0015929	Short Yoke for S360-C (incl. Pin)
1x L2.0015014	Standard Diffusion for S360-C
1x L2.0015013	Heavy Diffusion for S360-C
1x L2.0015016	Lite Diffusion for S360-C
1x L2.0015022	Intensifier for S360-C
1x L2.0014979	Honeycomb 60° for S360-C
1x L2.0014978	Honeycomb 30° for S360-C
1x L2.0015249	Power Supply Unit for S360-C
1x L2.0006921	Super Clamp Adapter for SkyPanel PSU
1x L2.0015784	Mains cable powerCON 32A, 3 m (Schuko)
1x L2.0015785	Mains cable powerCON 32A, 3 m (Edison)
1x L2.0016030	DC cable 5 m (4-Pin 30A) S360-C
1x L2.0016354	Transportation Case for SkyPanel S360-C
1x L2.0022690	SkyPanel Remote

L0.0019704 S360-C Kit (Schuko) - w/o Accessories

1x L1.0015122	S360-C, blue/silver
1x L2.0016078	Carbon Fiber Yoke for S360-C (incl. Pin)
1x L2.0015014	Standard Diffusion for S360-C
1x L2.0015249	Power Supply Unit for S360-C
1x L2.0006921	Super Clamp Adapter for SkyPanel PSU
1x L2.0015784	Mains cable powerCON 32A, 3 m (Schuko)
1x L2.0016030	DC cable 5 m (4-Pin 30A) S360-C
1x L2.0016354	Transportation Case for SkyPanel S360-C

L0.0019705 S360-C Kit (Bare Ends) - w/o Accessories

1x L1.0015122	S360-C, blue/silver
1x L2.0016078	Carbon Fiber Yoke for S360-C (incl. Pin)
1x L2.0015014	Standard Diffusion for S360-C
1x L2.0015249	Power Supply Unit for S360-C
1x L2.0006921	Super Clamp Adapter for SkyPanel PSU
1x L2.0015788	Mains cable powerCON 32A, 3 m (Bare Ends)
1x L2.0016030	DC cable 5 m (4-Pin 30A) S360-C
1x L2.0016354	Transportation Case for SkyPanel S360-C



ORBITER SETS

L0.0053483 Orbiter Open Face Set (Bare Ends)

- 1x L1.0033520 Orbiter blue/silver
- 1x L2.0033732 Orbiter Control Panel (without Cable)
- 1x L2.0033799 Cable for Control Panel, 5 m
- 1x L2.0034025 Orbiter Manual Yoke with Spigot
- 1x L2.0024627 Mains cable, 3 m, powerCON TRUE1 TOP Bare Ends, with line switch
- 1x L2.0041133 Orbiter Open Face Kit
incl. Bag, 15°, 30° & 60° Open Face Optics

L0.0050676 Orbiter Beam Set (Bare Ends)

- 1x L1.0033520 Orbiter blue/silver
- 1x L2.0033732 Orbiter Control Panel (without Cable)
- 1x L2.0033800 Cable for Control Panel, 15 m
- 1x L2.0034025 Orbiter Manual Yoke with Spigot
- 1x L2.0024627 Mains cable, 3 m, powerCON TRUE1 TOP Bare Ends, with line switch
- 1x L2.0048438 Orbiter Beam

L0.0050675 Orbiter Projection 25° Set (Bare Ends)

- 1x L1.0033520 Orbiter blue/silver
- 1x L2.0033732 Orbiter Control Panel (without Cable)
- 1x L2.0033800 Cable for Control Panel, 15 m
- 1x L2.0034025 Orbiter Manual Yoke with Spigot
- 1x L2.0024627 Mains cable, 3 m, powerCON TRUE1 TOP Bare Ends, with line switch
- 1x L2.0033549 Orbiter Projection Optic 25° incl. gobo holder

L0.0050674 Orbiter Projection 35° Set (Bare Ends)

- 1x L1.0033520 Orbiter blue/silver
- 1x L2.0033732 Orbiter Control Panel (without Cable)
- 1x L2.0033800 Cable for Control Panel, 15 m
- 1x L2.0034025 Orbiter Manual Yoke with Spigot
- 1x L2.0024627 Mains cable, 3 m, powerCON TRUE1 TOP Bare Ends, with line switch
- 1x L2.0033550 Orbiter Projection Optic 35° incl. gobo holder



ORBITER SETS

L0.0050673 Orbiter Fresnel Set (Bare Ends)

1x L1.0033520	Orbiter blue/silver
1x L2.0033732	Orbiter Control Panel (without Cable)
1x L2.0033800	Cable for Control Panel, 15 m
1x L2.0034025	Orbiter Manual Yoke with Spigot
1x L2.0024627	Mains cable, 3 m, powerCON TRUE1 TOP Bare Ends, with line switch
1x L2.0039436	Orbiter Fresnel Lens 15 - 65°



TUNGSTEN KITS



SOFTBANK I PLUS KIT

L0.76597.S Softbank I Plus Lighting Kit (Schuko)



1x L0.79200.D	ARRI 300 Plus with line switch incl. 4-leaf barndoor, filter frame
2x L0.79400.D	ARRI 650 Plus with line switch incl. 4-leaf barndoor, filter frame
1x L0.0034721	ARRILITE 750 Plus with line switch incl. 4-leaf barndoor, accessory holder
1x	Lamp T 300 W / 240 V GY 9,5 CP/81 (Osram)
2x	Lamp T 650 W / 230 V GY 9,5 CP/89 (Osram)
1x	Lamp HPL* 750 W / 230 V G9,5 (Osram)
1x	Scrim, full single (130 mm / 5.1")
1x	Scrim, full double (130 mm / 5.1")
3x	Scrim, full single (168 mm / 6.6")
3x	Scrim, full double (168 mm / 6.6")
1x	Chimera Lightbank Video Pro Plus "S"
4x	Medium ARRI Kit Stand AS-2 (050A)
1x	Accessory Pack
1x	Heavy Duty Case with wheels (102 x 48 x 34 cm / 40.2 x 18.9 x 13.4")



SOFTBANK IV PLUS KIT

L0.76599.S Softbank IV Plus Lighting Kit (Schuko)

2x L0.79360.D	ARRI 150 with line switch incl. 4-leaf barndoor, filter frame
1x L0.79200.D	ARRI 300 Plus with line switch incl. 4-leaf barndoor, filter frame
1x L0.79400.D	ARRI 650 Plus with line switch incl. 4-leaf barndoor, filter frame
1x L0.0034721	ARRILITE 750 Plus with line switch incl. 4-leaf barndoor, accessory holder
2x	Lamp T 150 W / 240 V GX 6,35 (Osram)
1x	Lamp T 300 W / 240 V GY 9,5 CP/81 (Osram)
1x	Lamp T 650 W / 230 V GY 9,5 CP/89 (Osram)
1x	Lamp HPL* 750 W / 230 V G9,5 (Osram)
2x	Scrim, full single (78 mm / 3.1")
2x	Scrim, full double (78 mm / 3.1")
1x	Scrim, full single (130 mm / 5.1")
1x	Scrim, full double (130 mm / 5.1")
2x	Scrim, full single (168 mm / 6.6")
2x	Scrim, full double (168 mm / 6.6")
1x	Chimera Lightbank Video Pro Plus "S"
1x	Accessory Pack
1x	Super Clamp with 5/8" Stud
1x	Ceiling Scissor Clamp
4x	Medium ARRI Kit Stand AS-2 (050A)
1x	Heavy Duty Case with wheels (102 x 48 x 34 cm / 40,2 x 18,9 x 13,4")

ARRI 650 PLUS KIT

L0.79400.C ARRI 650 Plus Lighting Kit (Schuko)

3x L0.79400.D	ARRI 650 Plus with line switch incl. 4-leaf barndoor, filter frame
3x	Lamp T 650 W / 230 V GY 9,5 CP/89 (Osram)
3x	Scrim, full single (168 mm / 6.6")
3x	Scrim, full double (168 mm / 6.6")
3x	Compact ARRI Kit Stand AS-01 (050MKA)
1x	Compact 3-Light case with wheels (83 x 43 x 27 cm / 32.7 x 16.9 x 10.6")

**ARRI 300/650 PLUS COMBO KIT****L0.76598.F ARRI 300/650 Plus Combo Lighting Kit (Schuko) **

	ARRI 300 Plus with line switch
2x L0.79200.D	incl. 4-leaf barndoor, filter frame
	ARRI 650 Plus with line switch
2x L0.79400.D	incl. 4-leaf barndoor, filter frame
	Lamp T 650 W / 230 V GY 9,5 CP/89 (Osram)
2x	Lamp T 300 W / 240 V GY 9,5 CP/81 (Osram)
2x	Scrim, full single (130 mm / 5.1")
2x	Scrim, full double (130 mm / 5.1")
2x	Scrim, full single (168 mm / 6.6")
2x	Scrim, full double (168 mm / 6.6")
2x	Medium ARRI Kit Stand AS-2 (050A)
4x	Accessory Pack
1x	Heavy Duty Case with wheels
1x	(102 x 48 x 34 cm / 40,2 x 18,9 x 13,4")



M-SERIES SETS



M-SERIES SETS

L0.37200AS M-Series M8 EB MAX Set - Int. (VEAM)

- 1x L1.37200.B M-Series M8 (VEAM)
- 1x L2.0014190 EB MAX 1.8 with ALF, CCL, DMX, AutoScan
- 1x L2.39870.0 4-leaf barndoor, True Blue (245 mm / 9.7")
- 1x L2.37207.0 Spill Ring (230 mm / 9.1")
- 1x L2.75600.0 Head-to-Ballast cable 575/800/1200/1800 W, 7 m

L0.37600AS M-Series M18 EB MAX Set - Int. (VEAM)

- 1x L1.37600.B M18, blue/silver
- 1x L2.0014190 EB MAX 1.8 with ALF, CCL, DMX, AutoScan
- 1x L2.40950.0 4-leaf barndoor, True Blue (344 mm / 13.5")
- 1x L2.37670.0 Spill Ring (330 mm / 13.0")
- 1x L2.75600.0 Head-to-Ballast cable 575/800/1200/1800 W, 7 m

L0.0019656 M-Series M40 EB MAX Set - Int. (VEAM)

- 1x L1.37400.B M40, blue/silver
- 1x L2.0016746 EB MAX 2.5/4 with ALF, CCL, DMX, AutoScan
- 1x L2.41200.0 4-leaf barndoor, True Blue (413 mm / 16.3")
- 1x L2.37305.0 Spill Ring (400 mm / 15.8")
- 1x L2.75620.0 Head-to-Ballast cable 2500/4000 W, 7 m

L0.0019658 M-Series M90 EB MAX Set - Int. (VEAM)

- 1x L1.37489.B M90, blue/silver
- 1x L2.0016747 EB MAX 6/9 with ALF, CCL, DMX, AutoScan
- 1x L2.37560.0 4-leaf barndoor (584 mm / 23.0")
- 1x L2.37561.0 Spill Ring (571 mm / 22.5")
- 1x L2.77940.A Head-to-Ballast cable 6000/9000 W, 15 m



M-SERIES SETS

L0.0019667 ARRIMAX 18/12 EB MAX Set - Int. (VEAM)

1x L1.37950.B	ARRIMAX 18/12, blue/silver
1x L2.0016748	EB MAX 12/18 with ALF, DMX, AutoScan
1x L2.71100.0	4-leaf barndoor (740 mm / 29.1")
1x L2.82294.0	Head-to-Ballast/Dimmer cable 12/18/24 kW, 15 m

L0.37200HS M-Series M8 High Speed Set - Int. (VEAM)

1x L1.37200.B	M8, blue/silver
1x L2.76184KH	EB 575/800 HS with ALF, CCL, DMX, 1000 Hz
1x L2.39870.0	4-leaf barndoor, True Blue (245 mm / 9.7")
1x L2.37207.0	Spill Ring (230 mm / 9.1")
1x L2.75600.0	Head-to-Ballast cable 575/800/1200/1800 W, 7 m

L0.37600.B M-Series M18 Basic Set - Int. (VEAM)

1x L1.37600.B	M18, blue/silver
1x L2.76625.0	EB 1200/1800 with ALF
1x L2.40950.0	4-leaf barndoor, True Blue (344 mm / 13.5")
1x L2.37670.0	Spill Ring (330 mm / 13.0")
1x L2.75600.0	Head-to-Ballast cable 575/800/1200/1800 W, 7 m

L0.0019657 M-Series M40 Basic Set - Int. (VEAM)

1x L1.37400.B	M40, blue/silver
1x L2.76640.0	EB 2.5/4 with ALF
1x L2.41200.0	4-leaf barndoor, True Blue (413 mm / 16.3")
1x L2.37305.0	Spill Ring (400 mm / 15.8")
1x L2.75620.0	Head-to-Ballast cable 2500/4000 W, 7 m

L0.0019659 M-Series M90 Basic Set - Int. (VEAM)

1x L1.37489.B	M90, blue/silver
1x L2.76180.0	EB 6/9 with ALF
1x L2.37560.0	4-leaf barndoor (584 mm / 23.0")
1x L2.37561.0	Spill Ring (571 mm / 22.5")
1x L2.77940.A	Head-to-Ballast cable 6000/9000 W, 15 m



M-SERIES SETS

L0.0019665

ARRIMAX 18/12 Basic Set - Int. (VEAM)



1x L1.37950.B	ARRIMAX 18/12, blue/silver
1x L2.76290.0	EB 12/18 with ALF & trolley
1x L2.71100.0	4-leaf barndoor (740 mm / 29.1")
1x L2.82294.0	Head-to-Ballast/Dimmer cable 12/18/24 kW, 15 m



DAYLIGHT FRESNEL SETS



TRUE BLUE D SETS

L0.0019660 True Blue D12 EB MAX Set - Int. (VEAM)



- 1x L1.33730.B True Blue D12, blue/silver
- 1x L2.0014190 EB MAX 1.8 with ALF, CCL, DMX, AutoScan
- 1x L2.39870.0 4-leaf barndoor, True Blue (245 mm / 9.7")
- 1x L2.79890.0 Filter frame (230 mm / 9.1")
- 1x L2.75600.0 Head-to-Ballast cable 575/800/1200/1800 W, 7 m

L0.0019662 True Blue D25 EB MAX Set - Int. (VEAM)



- 1x L1.33670.B True Blue D25, blue/silver
- 1x L2.0016746 EB MAX 2.5/4 with ALF, CCL, DMX, AutoScan
- 1x L2.40950.0 4-leaf barndoor, True Blue (344 mm / 13.5")
- 1x L2.80970.0 Filter frame (330 mm / 13.0")
- 1x L2.75620.0 Head-to-Ballast cable 2500/4000 W, 7 m

L0.0019663 True Blue D40 EB MAX Set - Int. (VEAM)



- 1x L1.34000.B True Blue D40, blue/silver
- 1x L2.0016746 EB MAX 2.5/4 with ALF, CCL, DMX, AutoScan
- 1x L2.41200.0 4-leaf barndoor, True Blue (413 mm / 16.3")
- 1x L2.81220.0 Filter frame (400 mm / 15.8")
- 1x L2.75620.0 Head-to-Ballast cable 2500/4000 W, 7 m

L0.33770HS True Blue D5 High Speed Set - Int. (VEAM)



- 1x L1.33770.B True Blue D5, blue/silver
- 1x L2.76184KH EB 575/800 HS with ALF, DMX, CCL, 1000 Hz
- 1x L2.39670.0 4-leaf barndoor, True Blue (197 mm / 7.8")
- 1x L2.79690.0 Filter frame (197 mm / 7.8")
- 1x L2.75600.0 Head-to-Ballast cable 575/800/1200/1800 W, 7 m



TRUE BLUE D SETS

L0.0001664 True Blue D5 Basic Set - Int. (VEAM)

1x L1.33770.B	True Blue D5, blue/silver
1x L2.76425.0	EB 575/1200 with ALF
1x L2.39670.0	4-leaf barndoor, True Blue (197 mm / 7.8")
1x L2.79690.0	Filter frame (197 mm / 7.8")
1x L2.75600.0	Head-to-Ballast cable 575/800/1200/1800 W, 7 m

L0.0001659 True Blue D12 Basic Set - Int. (VEAM)

1x L1.33730.B	True Blue D12, blue/silver
1x L2.76425.0	EB 575/1200 with ALF
1x L2.39870.0	4-leaf barndoor, True Blue (245 mm / 9.7")
1x L2.79890.0	Filter frame (230 mm / 9.1")
1x L2.75600.0	Head-to-Ballast cable 575/800/1200/1800 W, 7 m

L0.33670XB True Blue D25 Basic Set - „Baby“ - Int. (VEAM)

1x L1.33670.B	True Blue D25, blue/silver
1x L2.76695.0	EB 2500 Baby with ALF
1x L2.40950.0	4-leaf barndoor, True Blue (344 mm / 13.5")
1x L2.80970.0	Filter frame (330 mm / 13.0")
1x L2.75620.0	Head-to-Ballast cable 2500/4000 W, 7 m

L0.0001662 True Blue D25 Basic Set - Int. (VEAM)

1x L1.33670.B	True Blue D25, blue/silver
1x L2.76640.0	EB 2.5/4 with ALF
1x L2.40950.0	4-leaf barndoor, True Blue (344 mm / 13.5")
1x L2.80970.0	Filter frame (330 mm / 13.0")
1x L2.75620.0	Head-to-Ballast cable 2500/4000 W, 7 m

L0.34000.X True Blue D40 Basic Set

1x L1.34000.B	True Blue D40, blue/silver
1x L2.76640.0	EB 2.5/4 with ALF
1x L2.41200.0	4-leaf barndoor, True Blue (413 mm / 16.3")
1x L2.81220.0	Filter frame (400 mm / 15.8")
1x L2.75620.0	Head-to-Ballast cable 2500/4000 W, 7 m



TRUE BLUE D SETS

L0.71160.X ARRI Daylight 18/12 Basic Set

1x L1.71160.B	ARRI Daylight 18/12, blue/silver
1x L2.76290.0	EB 12/18 with ALF & trolley
1x L2.71100.0	4-leaf barndoor (740 mm / 29.1")
1x L2.71110.0	Filter frame (740 mm / 29.1")
1x L2.82294.0	Head-to-Ballast cable 12/18/24 kW, 15 m



This page is intentionally left blank.



LED



SkyPanel X



SkyPanel Pro



SkyPanel Classic



Orbiter



L-Series Plus



This page is intentionally left blank.



SkyPanel X

Package Components		SkyPanel X21 Soft & Hard Light Package	SkyPanel X22 Soft & Hard Light Package	SkyPanel X23 Soft & Hard Light Package
SkyPanel X				
	SkyPanel X incl. X21 Dome	1	2	3
	X21 HyPer Optic	1	2	3
	X21 Manual Yoke incl. Spigot	1	-	-
	X Modular Yoke incl. Spigot	-	1	1
	X22 Modular Frame incl. Daisy Chain Cabling	-	1	-
	X23 Modular Frame incl. Daisy Chain Cabling	-	-	1
	ALL-WEATHER Control Panel	1	1	1
	3 m Mains Cable powerCON TRUE1 TOP	1	1	1



SkyPanel X

[Click here for more product related information | ARRI.com](#)



SkyPanel X | Packages

[See LED Sets & Kits for more details](#)

L0.0049589	X21 Soft & Hard Light Package (Schuko)	
L0.0049599	X21 Soft & Hard Light Package (Edison)	
L0.0051697	X21 Soft & Hard Light Package black (Edison)	NEW
L0.0049597	X21 Soft & Hard Light Package (Chinese)	
L0.0049598	X21 Soft & Hard Light Package (Japanese)	
L0.0049805	X21 Soft & Hard Light Package (Australia)	
L0.0050399	X21 Soft & Hard Light Package black (Bare E. CE)	NEW
L0.0049826	X22 Soft & Hard Light Package (Schuko)	
L0.0049825	X22 Soft & Hard Light Package (Bare Ends CE)	
L0.0049827	X22 Soft & Hard Light Package (Bare Ends UL)	
L0.0049595	X23 Soft & Hard Light Package (Schuko)	
L0.0049594	X23 Soft & Hard Light Package (Bare Ends CE)	
L0.0049593	X23 Soft & Hard Light Package (Bare Ends UL)	

SkyPanel X | Basic Configuration

L1.0048487	SkyPanel X blue/silver incl. X21 Dome	
L1.0048488	SkyPanel X black incl. X21 Dome	NEW

OPTICS

L2.0048580	X21 HyPer Optic
L2.0048643	X21 Dome
L2.0048578	S60 Adapter for X21

**LIGHT CONTROL**

L2.0049578	Beam Enhancer Filter for X21 HyPer Optic
------------	--

LAMPHEAD CONTROL

L2.0048844	ALL-WEATHER Control Panel (without cable, pouch, lanyard, D-ring, velcro)
------------	--

L2.0033799	Cable for Control Panel, 5 m
------------	------------------------------

L2.0033800	Cable for Control Panel, 15 m
------------	-------------------------------

L2.0033796	Control Panel Carrying Pouch
------------	------------------------------

**SOFTBOXES**

L2.0049585	DoPchoice SNAPBOX®-SNOOT for X21
------------	----------------------------------

L2.0049580	DoPchoice SNAPBAG® for X21
------------	----------------------------

L2.0049582	DoPchoice SNAPGRID® 30° for X21
------------	---------------------------------

L2.0008143	DoPchoice SNAPGRID® 40° for SNAPBAG® X21 & S60
------------	---

MOUNTING

L2.0048577	X21 Manual Yoke incl. Spigot
------------	------------------------------

L2.0048843	X21 P.O. Yoke incl. Spigot
------------	----------------------------



L2.0049573	X Modular Yoke, incl. Spigot
------------	------------------------------

L2.0049570	X23 Modular Frame, incl. Daisy Chain Cabling Ethernet & Power
------------	--

L2.0049577	X22 Modular Frame, incl. Daisy Chain Cabling Ethernet & Power
------------	--

L0.0049837	X Modular System, incl. X Modular Yoke, X22 & X23 Modular Frames with Daisy Chain Cabling Ethernet & Power
------------	--

L2.0049276	SkyPanel X Twin Quick-Lock, without Spigot/Clamp
------------	---

CABLES

[*Find all powerCON TRUE1 TOP cables in the "PLA" section*](#)



SAFETY

L2.0020919	Safety cable (4 mm) 1 m, max. load 16 kg
L2.0007590	Safety cable (5 mm) 1 m, max. load 25 kg
L2.0014058	Safety cable (6 mm) 1 m, max. load 36 kg
L2.0009000	Safety cable (8 mm) 1 m, max. load 64 kg
L2.0015517	Safety cable (10 mm) 1 m, max. load 100 kg



S60 Pro

Set Components		SkyPanel S60-C Pro MAN	SkyPanel S60-C Pro P.O.
SkyPanel S60 Pro			
	Aluminum Yoke with 28 mm Junior Pin	✓	-
	Steel Yoke with 28 mm Junior Pin P.O.	-	✓
	Standard Diffusion	✓	✓
	3 m Mains Cable powerCON TRUE1 TOP	✓	✓



SKYPANEL S60 PRO

[Click here for more product related information | ARRI.com](#)



SkyPanel S60 Pro | Sets

[See LED Sets & Kits for more details](#)

L0.0052499	S60 Pro MAN blue/silver (Schuko)	NEW
L0.0052500	S60 Pro MAN black (Schuko)	NEW
L0.0052501	S60 Pro MAN blue/silver (Edison)	NEW
L0.0052502	S60 Pro MAN black (Edison)	NEW
L0.0052503	S60 Pro MAN blue/silver (Bare Ends)	NEW
L0.0052504	S60 Pro MAN black (Bare Ends)	NEW
L0.0052505	S60 Pro P.O. blue/silver (Bare Ends)	NEW
L0.0052506	S60 Pro P.O. black (Bare Ends)	NEW
L0.0052507	S60 Pro MAN blue/silver (Chinese)	NEW
L0.0052508	S60 Pro MAN blue/silver (Japanese)	NEW
L0.0052509	S60 Pro MAN blue/silver (Australian)	NEW

SkyPanel S60 Pro | Basic Configuration

L1.0052046	S60 Pro blue/silver incl. Standard Diffusion	NEW
L1.0052047	S60 Pro black incl. Standard Diffusion	NEW

DIFFUSION AND INTENSIFIER (see the following pages for more S60 accessories)

L2.0003345	Standard Diffusion for SkyPanel S60 107° HPA	
L2.0003903	Heavy Diffusion for SkyPanel S60 114° HPA	
L2.0003904	Lite Diffusion for SkyPanel S60 105° HPA	
L2.0007818	Intensifier for SkyPanel S60-C 73° HPA	
L2.0008306	Accessory Bag for SkyPanel S60 (for max. 4 diffusion panels or honeycombs)	
L0.0008461	Diffusion Kit S60 (Lite & Heavy Diffusion, Intensifier & Panel Carrying Bag)	



LIGHT CONTROL

L2.0007530	4-leaf barndoor for SkyPanel S60
L2.0007977	8-Chamber Eggcrate for SkyPanel S60
L2.0008058	Honeycomb 60° for SkyPanel S60
L2.0008059	Honeycomb 30° for SkyPanel S60
L2.0007999	Snoot for SkyPanel S60
L2.0008188	Extra Diffusion Slot for SkyPanel S60
L2.0009611	SkyBender for SkyPanel S60-C



MOUNTING

L2.0052260	S60 Manual Yoke incl. Spigot
L2.0052261	S60 P.O. Yoke incl. Spigot
L2.0008078	Center Mount Yoke
L2.0008080	Fixed Center Mount Yoke
L2.0014566	Space Light Silk Mounting Adapter for S60



CABLES

[Find all powerCON TRUE1 TOP and DC cables in the "PLA" section](#)

SAFETY

L2.0007590	Safety cable (5 mm) 1 m, max. load 25 kg
------------	--



This page is intentionally left blank.



SKYPANEL[®]

Kit Components		SkyPanel S30-C MAN	SkyPanel S30-C P.O.
SkyPanel S30			
	Aluminum Yoke with 16 mm / 28 mm Combo Pin	✓	-
	Steel Yoke with 28 mm Junior Pin P.O.	-	✓
	S30 PSU	✓	✓
	Standard Diffusion	✓	✓
	3 m DC Cable (3-Pin XLR)	✓	-
	1 m DC Cable (3-Pin XLR)	-	✓
	3 m Mains Cable powerCON TRUE1 TOP	✓	✓
	Rail Mount Adapter for SkyPanel PSU	✓	✓

SKYPANEL S30-C

[Click here for more product related information | ARRI.com](#)



SKYPANEL S30-C

L0.0007712	S30-C MAN blue/silver (Schuko)
L0.0007714	S30-C P.O. blue/silver (Bare Ends)

DIFFUSION AND INTENSIFIER (see the following pages for more S30 accessories)

L2.0007325	Standard Diffusion for SkyPanel S30 107° HPA
L2.0007326	Heavy Diffusion for SkyPanel for S30 114° HPA
L2.0007327	Lite Diffusion for SkyPanel for S30 105° HPA
L2.0007823	Intensifier for SkyPanel S30-C 73° HPA

LAMPHEAD CONTROL

L2.0022690	SkyPanel Remote
L2.0013861	SkyPanel Remote USB cable, 5 m
L2.0013945	SkyPanel Remote Carrying Pouch

LIGHT CONTROL

L2.0008187	4-leaf barndoor for SkyPanel S30
L2.0008048	4-Chamber Eggcrate for SkyPanel S30
L2.0008064	Honeycomb 60° for SkyPanel S30
L2.0008065	Honeycomb 30° for SkyPanel S30
L2.0008019	Snoot for SkyPanel S30



SOFTBOXES

L2.0008142	DoPchoice SnapGrid 40° for SkyPanel S30
L2.0008140	DoPchoice SnapGrid 40° for SnapBag S30
L2.0008141	DoPchoice SnapBag for SkyPanel S30
L2.0015899	Chimera Lantern with Skirt for SkyPanel S30
L2.0021388	Chimera Lightbank with Brackets for S30
L2.0015977	Chimera Universal Brackets for SkyPanel (suitable for S30 / S60 / S120)

MOUNTING

L2.0008078	Center Mount Yoke
L2.0008080	Fixed Center Mount Yoke
L2.0008082	Rail Mount Adapter for SkyPanel PSU
L2.0006921	Super Clamp Adapter for SkyPanel PSU

CABLES

[*Find all powerCON TRUE1 TOP and DC cables in the "PLA" section*](#)

SAFETY

L2.0020919	Safety cable (4 mm) 1 m, max. load 16 kg
------------	--

TRANSPORT

L2.0010639	Case for SkyPanel S30 - Molded Single
------------	---------------------------------------

BATTERY ADAPTERS

L2.0008070	V-Mount Battery Adapter Plate
------------	-------------------------------

POWER SUPPLY

L2.0007735	Power Supply Unit for SkyPanel S30 - blue/silver
------------	--



This page is intentionally left blank.



SKYPANEL[®]

Kit Components		SkyPanel S120-C MAN	SkyPanel S120-C P.O.	SkyPanel S120-C Center Mount
SkyPanel S120-C				
	Aluminum Yoke with 28 mm Junior Pin	✓	-	-
	Steel Yoke with 28 mm Junior Pin P.O.	-	✓	-
	Center Mount Yoke & 2 Side Handles	-	-	✓
	S60/S120 PSU	✓	✓	✓
	Standard Diffusion	✓	✓	✓
	3 m DC Cable (3-Pin XLR)	✓	-	✓
	1 m DC Cable (3-Pin XLR)	-	✓	-
	3 m Mains Cable powerCON TRUE1 TOP	✓	✓	✓
	Rail Mount Adapter for SkyPanel PSU	✓	✓	-

SKYPANEL S120-C

[Click here for more product related information | ARRI.com](#)



SKYPANEL S120-C

L0.0012954	S120-C MAN blue/silver (Schuko)
L0.0012948	S120-C Center Mount blue/silver (Schuko)
L0.0012953	S120-C P.O. blue/silver (Bare Ends)

DIFFUSION AND INTENSIFIER

L2.0009501	Standard Diffusion for SkyPanel S120-C 107° HPA
L2.0009500	Heavy Diffusion for SkyPanel S120-C 114° HPA
L2.0009502	Lite Diffusion for SkyPanel S120-C 105° HPA
L2.0009503	Intensifier for SkyPanel S120-C 73° HPA

LAMPHEAD CONTROL

L2.0022690	SkyPanel Remote
L2.0013861	SkyPanel Remote USB cable, 5 m
L2.0013945	SkyPanel Remote Carrying Pouch

LIGHT CONTROL

L2.0010114	4-leaf barndoor for S120-C	
L2.0009690	16-Chamber Eggcrate for S120-C	
L2.0009561	Honeycomb 60° for S120-C	
L2.0009562	Honeycomb 30° for S120-C	
L2.0010352	SkyBender for S120-C	

**SOFTBOXES**

L2.0010382	DoPchoice SnapGrid 40x60° for S120-C
L2.0010383	DoPchoice SnapBag for S120-C
L2.0010381	DoPchoice SnapGrid 40° for SnapBag S120-C
L2.0013180	Chimera Lightbank with Brackets for S120-C
L2.0015977	Chimera Universal Brackets for SkyPanel (suitable for S30 / S60 / S120)

**MOUNTING**

L2.0008078	Center Mount Yoke
L2.0008080	Fixed Center Mount Yoke
L2.0008082	Rail Mount Adapter for SkyPanel PSU
L2.0006921	Super Clamp Adapter for SkyPanel PSU

CABLES

[Find all powerCON TRUE1 TOP and DC cables in the "PLA" section](#)

SAFETY

L2.0007590	Safety cable (5 mm) 1 m, max. load 25 kg
------------	--

TRANSPORT

L2.0013694	Case for SkyPanel S120-C - Molded Center Mount
------------	--

BATTERY ADAPTERS

L2.0008070	V-Mount Battery Adapter Plate
------------	-------------------------------

POWER SUPPLY

L2.0012491	Power Supply Unit for SkyPanel S60/S120-C blue/silver
------------	--



This page is intentionally left blank.



SKYPANEL®

Kit Components		SkyPanel S360-C Standard Diffusion	SkyPanel S360-C Intensifier	SkyPanel S360-C Kit (Complete)	SkyPanel S360-C Kit w/o Accessories
SkyPanel S360-C					
	Carbon Fibre Yoke with 28 mm Junior Pin	✓	✓	✓	✓
	Steel Yoke with 28 mm Junior Pin (Short Yoke)	-	-	✓	-
	S360-C PSU	✓	✓	✓	✓
	Lite Diffusion	-	-	✓	-
	Standard Diffusion	✓	-	✓	✓
	Heavy Diffusion	-	-	✓	-
	Intensifier	-	✓	✓	-
	Honeycomb 30°	-	-	✓	-
	Honeycomb 60°	-	-	✓	-
	5 m DC Cable (4-Pin Metal Locking)	✓	✓	✓	✓
	3 m UL Mains Cable powerCON 32 A (Edison)	-	-	✓	-
	3 m Mains Cable powerCON 32 A (Schuko)	✓	✓	✓	✓
	Super Clamp Adapter for SkyPanel PSU	✓	✓	✓	✓
	SkyPanel Remote Control (incl. 5m cable)	-	-	✓	-
	Case with wheels	-	-	✓	✓

SKYPANEL S360-C

[Click here for more product related information | ARRI.com](#)



SKYPANEL S360-C

L0.0016326	S360-C Standard Diffusion blue/silver (Schuko)
L0.0016329	S360-C Standard Diffusion blue/silver (Bare Ends)
L0.0016331	S360-C Intensifier blue/silver (Schuko)
L0.0016334	S360-C Intensifier blue/silver (Bare Ends)
L0.0016335	S360-C Kit (Complete) blue/silver (Edison&Schuko)
L0.0019704	S360-C Kit w/o Accessories blue/silver (Schuko)
L0.0019705	S360-C Kit w/o Accessories blue/silver (Bare Ends)

DIFFUSION AND INTENSIFIER

L2.0015014	Standard Diffusion for SkyPanel S360-C 107° HPA
L2.0015013	Heavy Diffusion for SkyPanel S360-C 114° HPA
L2.0015016	Lite Diffusion for SkyPanel S360-C 105° HPA
L2.0015022	Intensifier for SkyPanel S360-C 73° HPA

LAMPHEAD CONTROL

L2.0022690	SkyPanel Remote
L2.0013861	SkyPanel Remote USB cable, 5 m
L2.0013945	SkyPanel Remote Carrying Pouch

LIGHT CONTROL

L2.0014979	Honeycomb 60° for S360-C
L2.0014978	Honeycomb 30° for S360-C
L2.0016383	DoPchoice SnapGrid 40° for S360-C
L2.0016382	DoPchoice SnapBox for S360-C



SOFTBOXES

L2.0020278	DoPchoice SnapBag 6'x6' for S360-C
L2.0020279	DoPchoice SnapGrid 40° for SnapBag S360-C
L2.0033950	Chimera POP Bank for S360-C

MOUNTING

L2.0006921	Super Clamp Adapter for SkyPanel PSU
L2.0015929	Short Yoke for SkyPanel S360-C (incl. Pin)

CABLES

[*Find all powerCON 32A and DC 30A cables in the "PLA" section*](#)

SAFETY

L2.0009000	Safety cable (8 mm) 1 m, max. load 64 kg
------------	--

TRANSPORT

L2.0016354	Case for SkyPanel S360-C - Hard, Single
------------	---

POWER SUPPLY

L2.0015249	Power Supply Unit for SkyPanel S360-C blue/silver
------------	--



This page is intentionally left blank.

Orbiter[®]

ARRI[®]
SPECTRA

LIOS
Lighting Operating System

QLM
Quick Lighting Mount

Orbiter[®]

Configuration Guide - How to set up your Orbiter before purchase

1 Fixture Color



Blue/Silver



Black

2 Yoke Type



MAN



P.O.

3 Power Cables



Mains Cables



Daisy Chain Cables

4 Control



Including
Control Panel



Without
Control Panel

5 Optics, Domes & Softboxes



Beam



Open Face



Fresnel



Projection



Glass Cover



Domes



Bag-o-Light



Softboxes

6 Accessories for Optics



For Open Face,
Fresnel and Projection



For Softboxes



Docking Ring
for third-party Optics

7 Transport



Case



Bags

8 Miscellaneous



Grip & Mounting



Protection & Safety

This ARRI Product Information (80.0037628) is published by Arnold & Richter Cine Technik, February 2024 © ARRI/2024. Technical data and offerings are subject to change without notice. All rights reserved. Without any warranty. Not binding 02/2024. ARRI, Orbiter, Quick Lighting Mount, QLM, and LIOS as well as the blue/silver color combination are registered trademarks of Arnold & Richter Cine Technik GmbH & Co. Betriebs KG.

Find a complete product overview on
www.arri.com/orbiter/accessories



Orbiter

[Click here for more product related information | ARRI.com](#)



ARRI
SPECTRA

LOS
Lighting Operating System

QLM
Quick Lighting Mount

Orbiter Sets

[See LED Sets & Kits for more details](#)

L0.0053483 Orbiter Open Face Set (Bare Ends)

L0.0050676 Orbiter Beam Set (Bare Ends)

L0.0050675 Orbiter Projection 25° Set (Bare Ends)

L0.0050674 Orbiter Projection 35° Set (Bare Ends)

L0.0050673 Orbiter Fresnel Set (Bare Ends)

Orbiter | Basic Configuration

Contains Protective Cap and Antenna only, no Mains Cable included!

L1.0033520 Orbiter blue/silver without Yoke, Optic, Control Panel, Control Panel Cable and Mains Cable

L1.0033521 Orbiter black without Yoke, Optic, Control Panel, Control Panel Cable and Mains Cable

OPTICS

L2.0048438 Orbiter Beam

NEW

L2.0033549 Orbiter Projection Optic 25° incl. gobo holder

L2.0033550 Orbiter Projection Optic 35° incl. gobo holder

L2.0039436 Orbiter Fresnel Lens 15 - 65°

L2.0039438 Orbiter Dome Mini



L2.0039439 Orbiter Glass Cover



L2.0033542 Orbiter Open Face Optic 60° / Carton Box

L2.0033541 Orbiter Open Face Optic 30° / Carton Box

L2.0033540 Orbiter Open Face Optic 15° / Carton Box

L2.0041133 Orbiter Open Face Kit incl. Bag, 15°, 30° & 60° Open Face Optics



**LAMPHEAD CONTROL**

L2.0048844	ALL-WEATHER Control Panel (without cable, pouch, lanyard, D-ring, velcro)	
L2.0033732	Orbiter Control Panel (without Cable)	
L2.0033799	Cable for Control Panel, 5 m	
L2.0033800	Cable for Control Panel, 15 m	
L2.0033796	Control Panel Carrying Pouch	

LIGHT CONTROL

L2.0033843	Orbiter Projection Optic - Goboholder	
L2.0033841	Snoot for Orbiter Projection Optic 25°/35°	
L2.79470.0	4-leaf barndoor (168 mm / 6.6") fits Open Face Optics 30° & 60°	
L2.79500.0	8-leaf barndoor (168 mm / 6.6") fits Open Face Optics 30° & 60°	
L2.79480.0	Snoot (168 mm / 6.6") fits Open Face Optics 30° & 60°	
L2.39870.0	4-leaf barndoor, True Blue (245 mm / 9.7") fits Open Face Optic 15°	
L2.40950.0	4-leaf barndoor, True Blue (344 mm / 13.5") fits Orbiter Fresnel Lens 15 - 65°	
L2.40960.0	8-leaf barndoor, True Blue (344 mm / 13.5") fits Orbiter Fresnel Lens 15 - 65°	

SOFTBOXES

L2.0033840	DoPchoice SnapBag S for Orbiter	
L2.0034270	DoPchoice SnapBag M for Orbiter	
L2.0038791	DoPchoice SnapGrid M 40° fits DoPchoice SnapBag M for Orbiter	
L2.0034269	DoPchoice Octa 4 for Orbiter	
L2.0034266	DoPchoice Dome S for Orbiter	
L2.0034267	DoPchoice Dome M for Orbiter	

**SOFTBOXES**

L2.0034268	DoPchoice Dome L for Orbiter	
L2.0033839	Chimera Lightbank S for Orbiter	
L2.0036058	Chimera Lightbank M for Orbiter	
L2.0034271	Chimera Octa 4 for Orbiter	
L2.0041050	EZ POP Soft Egg Crate 50° for Chimera Octa 4	
L2.0034621	Chimera Dome M for Orbiter	
L2.0034622	Chimera Dome L for Orbiter	
L2.0039437	Orbiter Bag-o-Light	

MOUNTING

L2.0034025	Orbiter Manual Yoke with Spigot
L2.0036642	Orbiter P.O. Yoke with Spigot

CABLES

[*Find all powerCON TRUE1 TOP cables in the "PLA" section*](#)

SAFETY

L2.0008899	Safety cable (3 mm) 0,6 m, max. load 5 kg
L2.0020919	Safety cable (4 mm) 1 m, max. load 16 kg
L2.0007590	Safety cable (5 mm) 1 m, max. load 25 kg

TRANSPORT

L2.0034626	Orbiter Case (Offers space for Orbiter, Yoke, Antenna, Control Panel, Protective Cap, Cables, Barndoors, Rain Cover and Skid) / Hard, empty	
L2.0034624	Bag for Orbiter Optics (Offers space for 15°, 30°, 60° Open Face Optics and Protective Cap) / Soft, empty	

MISCELLANEOUS

L2.0039421	Orbiter Docking Ring	
L2.0034272	Orbiter Skid silver	
L2.0039329	Orbiter Skid black	
L2.0037805	Orbiter Rain Cover	
L2.0048935	Orbiter Accessories Protection Cap	



L-SERIES^{ARRI} PLUS

Kit Components		L5-C Plus MAN	L5-C Plus P.O.
L-Series L5-C Plus			
	Yoke with 16 mm / 28 mm Combo Pin	✓	-
	Yoke with 28 mm Junior Pin P.O.	-	✓



L-SERIES L5-C PLUS

[Click here for more product related information | ARRI.com](#)



L-SERIES L5-C PLUS

No mains cable or other accessories included.

L1.0048800	L5-C Plus blue/silver incl. yoke and spigot	NEW
L1.0048801	L5-C Plus black incl. yoke and spigot	NEW
L1.0048802	L5-C Plus P.O. blue/silver incl. yoke and spigot	NEW
L1.0048803	L5-C Plus P.O. black incl. yoke and spigot	NEW

LAMPHEAD CONTROL

L2.0022690	SkyPanel Remote
L2.0013861	SkyPanel Remote USB cable, 5 m
L2.0013945	SkyPanel Remote Carrying Pouch

LIGHT CONTROL

L2.79470.0	4-leaf barndoor (168 mm / 6.6")	
L2.79471.0	4-leaf barndoor, black/silver (168 mm / 6.6")	
L2.79500.0	8-leaf barndoor (168 mm / 6.6")	
L2.79490.0	Filter frame (168 mm / 6.6")	
L2.79480.0	Snoot (168 mm / 6.6")	

SOFTBOXES

L2.70844.0	Chimera Lightbank Video Pro Plus „S“, incl. 3 front screens (8125)	
L2.89068.0	Speed ring circular (9670) (168 mm / 6,6")	

MOUNTING

L2.40701.3	Spigot 28 mm, long, with flange & allen screw, fits profile stirrups without sleeve cuff	
------------	--	--

**CABLES**

[*Find all powerCON TRUE1 TOP cables in the "PLA" section*](#)

STANDS

L2.76976.0 Medium ARRI Kit Stand LS.2 (050A)



L2.76965.0 Compact ARRI Kit Stand LS.01 (050MKA)

SAFETY

L2.0020919 Safety cable (4 mm) 1 m, max. load 16 kg

MISCELLANEOUS

L2.0051206 DMX Adapter Set, 0.2 m

Set of 3: RJ45/DMX In, RJ45/DMX Out, RJ45/RJ45





This page is intentionally left blank.



L-SERIES^{ARRI} PLUS

Kit Components		L7-C Plus MAN	L7-C Plus P.O.
L-Series L7-C Plus			
	Yoke with 28 mm Junior Pin	✓	-
	Yoke with 28 mm Junior Pin P.O.	-	✓

L-SERIES L7-C PLUS

[Click here for more product related information | ARRI.com](#)



FW
4.5

L-SERIES L7-C PLUS

No mains cable or other accessories included.

L1.0048804	L7-C Plus blue/silver incl. yoke and spigot	
L1.0048805	L7-C Plus black incl. yoke and spigot	
L1.0048806	L7-C Plus P.O. blue/silver incl. yoke and spigot	
L1.0048807	L7-C Plus P.O. black incl. yoke and spigot	

LAMPHEAD CONTROL

L2.0022690	SkyPanel Remote
L2.0013861	SkyPanel Remote USB cable, 5 m
L2.0013945	SkyPanel Remote Carrying Pouch

LIGHT CONTROL

L2.39670.0	4-leaf barndoor, True Blue (197 mm / 7.8")
L2.39700.0	8-leaf barndoor, True Blue (197 mm / 7.8")
L2.79690.0	Filter frame (197 mm / 7.8")
L2.79680.0	Snoot (197 mm / 7.8")

SOFTBOXES

L2.89053.0	Chimera Lightbank Daylite Plus „S“, incl. 3 front screens (8225)	
L2.70844.0	Chimera Lightbank Video Pro Plus „S“, incl. 3 front screens (8125)	
L2.76246.0	Speed ring circular (9190) (197 mm / 7.8")	



MOUNTING

L2.40701.3 Spigot 28 mm, long, with flange & allen screw, fits profile stirrups w/o sleeve cuff



CABLES

[*Find all powerCON TRUE1 TOP cables in the "PLA" section*](#)

STANDS

L2.8803653 Master Stand (1004BAC)

SAFETY

L2.0020919 Safety cable (4 mm) 1 m, max. load 16 kg

MISCELLANEOUS

L2.0051206 DMX Adapter Set, 0.2 m
Set of 3: RJ45/DMX In, RJ45/DMX Out, RJ45/RJ45






This page is intentionally left blank.



DAYLIGHT



M-Series



True Blue D



ARRI Daylight 18/12



This page is intentionally left blank.



M-SERIES

Ballast Compatibility			M-Series M8	M-Series M18	M-Series M40	M-Series M90	ARRIMAX 18/12
M-Series							
Fixture cable length (approx.)			0.5 m	0.5 m	0.5 m	0.6 m	0.6 m
	EB MAX	EB MAX 1.8	✓	✓	-	-	-
		EB MAX 2.5/4	-	-	✓	-	-
		EB MAX 6/9	-	-	-	✓	-
		EB MAX 12/18	-	-	-	-	✓
	HS	EB 575/800 HS	✓	-	-	-	-
	Basic	EB 1200/1800	-	✓	-	-	-
		EB 2.5/4	-	-	✓	-	-
		EB 6/9	-	-	-	✓	-
		EB 12/18	-	-	-	-	✓



M-SERIES M8

[Click here for more product related information | ARRI.com](#)



M-SERIES M8

L1.37200.B M-Series M8 MAN blue/silver International (VEAM)



ELECTRONIC BALLASTS - MAX RANGE

L2.0014190 EB MAX 1.8, ALF CCL DMX AutoScan, 50/60/75/300/1000 Hz, International (VEAM), 115/230 V~ Bare Ends



ELECTRONIC BALLASTS - HIGH SPEED

L2.76184KH EB 575/800 HS, ALF CCL DMX, 50/60/75/1000 Hz, International (VEAM), 120/230 V~ Schuko



L2.0001687 EB 575/800 HS, ALF CCL DMX, 50/60/75/1000 Hz, International (VEAM), 120/230 V~ Bare Ends



LIGHT CONTROL

L2.39870.0 4-leaf barndoor, True Blue (245 mm / 9.7")

L2.79860.0 Set of 4 scrims (230 mm / 9.1")



L2.79860.A Scrim, full single (230 mm / 9.1")



L2.79860.B Scrim, full double (230 mm / 9.1")



L2.79860.D Scrim, half double (230 mm / 9.1")



L2.37207.0 Spill Ring (230 mm / 9.1")



L2.79890.0 Filter frame (230 mm / 9.1")



SOFTBOXES

L2.89055.0 Chimera Lightbank Quartz Plus „M“ incl. 3 front screens (8435)





MOUNTING

L2.76989.0 ARRI Swiveling C Clamp (C150)



CABLES

L2.75600.0 Head-to-Ballast cable 575/800/1200/1800 W,
7 m, International connector (VEAM)



SAFETY

L2.0020919 Safety cable (4 mm) 1 m, max. load 16 kg

LAMPS

L2.37240.0 Lamp HMI Digital 800 W/SE G22 UVS (Osram)





M-SERIES M18

[Click here for more product related information | ARRI.com](#)



M-SERIES M18

L1.37600.B M-Series M18 MAN blue/silver International (VEAM)

ELECTRONIC BALLASTS - MAX RANGE

L2.0014190 EB MAX 1.8, ALF CCL DMX AutoScan, 50/60/75/300/1000 Hz, International (VEAM), 115/230 V~ Bare Ends

ELECTRONIC BALLASTS - BASIC

L2.76625.0 EB 1200/1800, ALF, 50/60/75 Hz, International (VEAM), 120/230 V~ Schuko

DIFFUSION

L2.0001006 Frosted glass (330 mm / 13.0") for M18

LIGHT CONTROL

L2.40950.0	4-leaf barndoor, True Blue (344 mm / 13.5")	
L2.40960.0	8-leaf barndoor, True Blue (344 mm / 13.5")	
L2.80980.0	Set of 4 scrims (330 mm / 13.0")	
L2.80980.A	Scrim, full single (330 mm / 13.0")	
L2.80980.B	Scrim, full double (330 mm / 13.0")	
L2.80980.D	Scrim, half double (330 mm / 13.0")	
L2.37670.0	Spill Ring (330 mm / 13.0")	
L2.80970.0	Filter frame (330 mm / 13.0")	
L2.80975.0	Snoot (344 mm / 13.5") with variable aperture	



SOFTBOXES

L2.89055.0	Chimera Lightbank Quartz Plus „M“ incl. 3 front screens (8435)	
L2.76247.0	Speed Ring circular (9305) (343 mm / 13.5“)	

MOUNTING

L2.76989.0	ARRI Swiveling C Clamp (C150)	
------------	-------------------------------	--

CABLES

L2.75600.0	Head-to-Ballast cable 575/800/1200/1800 W, 7 m, International connector (VEAM)	
------------	---	--

SAFETY

L2.0020919	Safety cable (4 mm) 1 m, max. load 16 kg	
------------	--	--

LAMPS

L2.0003885	Lamp DIS 1200 W/SE G38 UV-B (Koto)	
L2.89254L0	Lamp Digital HMI 1200 W/SE G38 UVS (Osram)	
L2.37590.0	Lamp HMI Digital 1800 W/SE G38 UVS (Osram)	

MISCELLANEOUS

L2.37682.2	Conversion Kit from AS18 to M18: MAX Reflector, three brackets and one top latch	
------------	---	--



M-SERIES M40

[Click here for more product related information | ARRI.com](#)



M-SERIES M40

L1.37400.B M-Series M40 MAN blue/silver International (VEAM) 

ELECTRONIC BALLASTS - MAX RANGE

L2.0016746 EB MAX 2.5/4, ALF CCL DMX AutoScan, 50/60/75/300/1000 Hz, International (VEAM), 115/230 V~ Bare Ends 

ELECTRONIC BALLASTS - BASIC

L2.76640.0 EB 2.5/4, ALF, 50/60/75 Hz, International (VEAM), 230 V~ Bare Ends 

LIGHT CONTROL

L2.41200.0	4-leaf barndoor, True Blue (413 mm / 16.3")	
L2.81230.0	Set of 4 scrims (400 mm / 15.8")	
L2.81230.A	Scrim, full single (400 mm / 15.8")	
L2.81230.B	Scrim, full double (400 mm / 15.8")	
L2.81230.D	Scrim, half double (400 mm / 15.8")	
L2.37305.0	Spill Ring (400 mm / 15.8")	
L2.81220.0	Filter frame (400 mm / 15.8")	
L2.81225.0	Snoot (413 mm / 16.3") with variable aperture	

SOFTBOXES

L2.89055.0	Chimera Lightbank Quartz Plus „M“ incl. 3 front screens (8435)	
L2.89062.0	Speed Ring circular (9365) (411 mm / 16.2")	



MOUNTING

L2.76989.0	ARRI Swiveling C Clamp (C150)	
------------	-------------------------------	--

CABLES

L2.75620.0	Head-to-Ballast cable 2500/4000 W, 7 m, International connector (VEAM)	
L2.75620.C	Head-to-Ballast cable 2500/4000 W, 15 m, International connector (VEAM)	

SAFETY

L2.0007590	Safety cable (5 mm) 1 m, max. load 25 kg	
------------	--	--

LAMPS

L2.0003883	Lamp DIS 2500 W/SE G38 UV-B (Koto)	
L2.0048682	Lamp HMI Digital 2500 W/SE G38 UVS (Osram)	
L2.0048683	Lamp HMI Digital 4000 W/SE G38 UVS (Osram)	

MISCELLANEOUS

L2.37385.0	Conversion Kit from M40 to AS40: PAR Reflector, three brackets and one top latch	
L2.37388.0	Conversion Kit from AS40 to M40: MAX Reflector, three brackets and one top latch	



M-SERIES M90

[Click here for more product related information | ARRI.com](#)



M-SERIES M90

L1.37489.B M-Series M90 MAN blue/silver International (VEAM)

ELECTRONIC BALLASTS - MAX RANGE

L2.0016747 EB MAX 6/9, ALF CCL DMX AutoScan,
50/60/75/300/1000 Hz, International (VEAM),
230 V~ Bare Ends

ELECTRONIC BALLASTS - BASIC

L2.76180.0 EB 6/9, ALF, 50/60/75 Hz, International (VEAM), 230 V~ Bare Ends 

LIGHT CONTROL

L2.37560.0 4-leaf barndoor (584 mm / 23.0")

L2.0008688 Set of 4 scrims (571 mm / 22.5")

L2.0008690 Scrim, full single (571 mm / 22.5")

L2.0008689 Scrim, full double (571 mm / 22.5")

L2.0008692 Scrim, half single (571 mm / 22.5") 

L2.0008691 Scrim, half double (571 mm / 22.5") 

L2.37561.0 Spill Ring (571 mm / 22.5")

CABLES

L2.77940.0 Head-to-Ballast cable 6000/9000 W,
7 m, International connector (VEAM)

L2.77940.A Head-to-Ballast cable 6000/9000 W,
15 m, International connector (VEAM)



SAFETY

L2.0009000	Safety cable (8 mm) 1 m, max. load 64 kg
------------	--

LAMPS

L2.0003881	Lamp DIS 6000 W/SE G38 UV-B (Koto)
------------	------------------------------------



L2.0048681	Lamp HMI Digital 6000 W/SE G38 UVS (Osram)
------------	--

L2.37482.0	Lamp HMI Digital 9000 W/SE GX38 UVS (Osram)
------------	---



M-SERIES ARRIMAX 18/12

[Click here for more product related information | ARRI.com](#)



M-SERIES ARRIMAX 18/12

L1.37950.B	M-Series ARRIMAX 18/12 MAN blue/silver International (VEAM)
------------	---

ELECTRONIC BALLASTS - MAX RANGE

L2.0016748	EB MAX 12/18, ALF DMX AutoScan, 50/60/75/300/1000 Hz, International (VEAM), 230 V~ Bare Ends
------------	--

ELECTRONIC BALLASTS - BASIC

L2.76290.0	EB 12/18, ALF with trolley, 50/60/75 Hz, International (VEAM), 230 V~ Bare Ends
------------	---



LIGHT CONTROL

L2.71100.0	4-leaf barndoor (740 mm / 29.1")
L2.71115.0	Set of 4 scrims (740 mm / 29.1")
L2.71115.A	Scrim, full single (740 mm / 29.1")
L2.71115.B	Scrim, full double (740 mm / 29.1")
L2.37940.0	Spot reflector for ARRIMAX 18/12, 8° - 15° Half Peak Angle

CABLES

L2.82294.0	Head-to-Ballast/Dimmer cable 12/18/24 kW, 15 m, International connector (VEAM)
L2.82294.A	Head-to-Ballast/Dimmer cable 12/18/24 kW, 20 m, International connector (VEAM)



SAFETY

L2.0015517	Safety cable (10 mm) 1 m, max. load 100 kg
------------	--

LAMPS

L2.0003880	Lamp DIS 12000 W/SE G38 UV-B (Koto)
------------	-------------------------------------

L2.0047830	Lamp HMI Digital 18000 W/SE GX51 UVS (Osram)
------------	--



This page is intentionally left blank.



True Blue D

Ballast Compatibility			True Blue D5	True Blue D12	True Blue D25	True Blue D40
True Blue D						
Fixture cable length (approx.)			0.5 m	0.5 m	0.6 m	0.6 m
	EB MAX	EB MAX 1.8	✓	✓	-	-
		EB MAX 2.5/4	-	-	✓	✓
	HS	EB 575/800 HS	✓	-	-	-
	Basic	EB 575/1200	✓	✓	-	-
		EB 2.5/4	-	-	✓	✓



TRUE BLUE D5

[Click here for more product related information | ARRI.com](#)



TRUE BLUE D5

L1.33770.B True Blue D5 MAN blue/silver International (VEAM) 

L1.33770.F True Blue D5 MAN blue/silver (Schaltbau) 

black and P.O. versions by request

ELECTRONIC BALLASTS - MAX RANGE

L2.0014190 EB MAX 1.8, ALF CCL DMX AutoScan,
50/60/75/300/1000 Hz, International (VEAM),
115/230 V~ Bare Ends 

ELECTRONIC BALLASTS - HIGH SPEED

L2.76184KH EB 575/800 HS, ALF CCL DMX, 50/60/75/1000 Hz
International (VEAM), 120/230 V~ Schuko 

L2.0001687 EB 575/800 HS, ALF CCL DMX, 50/60/75/1000 Hz
International (VEAM), 120/230 V~ Bare Ends 

ELECTRONIC BALLASTS - BASIC

L2.76425.0 EB 575/1200, ALF, 50/60/75 Hz,
International (VEAM), 120/230 V~ Schuko 

LIGHT CONTROL

L2.39670.0 4-leaf barndoor, True Blue (197 mm / 7.8")

L2.39700.0 8-leaf barndoor, True Blue (197 mm / 7.8")

L2.79660.0 Set of 4 scrims (197 mm / 7.8") 

L2.79660.A Scrim, full single (197 mm / 7.8") 

L2.79660.C Scrim, half single (197 mm / 7.8") 



LIGHT CONTROL

L2.79690.0	Filter frame (197 mm / 7.8")
L2.79680.0	Snoot (197 mm / 7.8") with variable aperture

SOFTBOXES

L2.70844.0	Chimera Lightbank Video Pro Plus "S" incl. 3 front screens (8125)	
L2.89053.0	Chimera Lightbank Daylite Junior Plus "S" incl. 3 front screens (8225)	
L2.76246.0	Speed Ring circular (9190) (197 mm / 7.8")	

MOUNTING

L2.76989.0	ARRI Swiveling C Clamp (C150)	
L2.76986.0	Stud 16 mm with thread 3/8" (036-38), plugs into Superclamp (035)	

CABLES

L2.75600.0	Head-to-Ballast cable 575/800/1200/1800 W, 7 m, International connector (VEAM)	
------------	---	--

SAFETY

L2.0020919	Safety cable (4 mm) 1 m, max. load 16 kg
------------	--

LAMPS

L2.0003874	Lamp DIS 575 W/SE G22 UV-B (Koto)	
------------	-----------------------------------	--



TRUE BLUE D12

[Click here for more product related information | ARRI.com](#)



TRUE BLUE D12

L1.33730.B True Blue D12 MAN blue/silver International (VEAM)

L1.33730.F True Blue D12 MAN blue/silver (Schaltbau)

black and P.O. versions by request

ELECTRONIC BALLASTS - MAX RANGE

L2.0014190 EB MAX 1.8, ALF CCL DMX AutoScan,
50/60/75/300/1000 Hz, International (VEAM),
115/230 V~ Bare Ends

ELECTRONIC BALLASTS - BASIC

L2.76425.0 EB 575/1200, ALF, 50/60/75 Hz,
International (VEAM), 120/230 V~ Schuko

LIGHT CONTROL

L2.39870.0 4-leaf barndoor, True Blue (245 mm / 9.7")

L2.79860.0 Set of 4 scrims (230 mm / 9.1")

L2.79860.A Scrim, full single (230 mm / 9.1")

L2.79860.B Scrim, full double (230 mm / 9.1")

L2.79860.D Scrim, half double (230 mm / 9.1")

L2.79890.0 Filter frame (230 mm / 9.1")

MOUNTING

L2.76989.0 ARRI Swiveling C Clamp (C150)



CABLES

L2.75600.0 Head-to-Ballast cable 575/800/1200/1800 W,
7 m, International connector (VEAM)



SAFETY

L2.0020919 Safety cable (4 mm) 1 m, max. load 16 kg

LAMPS

L2.0003885 Lamp DIS 1200 W/SE G38 UV-B (Koto)



L2.89254L0 Lamp Digital HMI 1200 W/SE G38 UVS (Osram)





TRUE BLUE D25

[Click here for more product related information | ARRI.com](#)



TRUE BLUE D25

L1.33670.B True Blue D25 MAN blue/silver International (VEAM)

L1.33670.F True Blue D25 MAN blue/silver (Schaltbau)

black and P.O. versions by request

ELECTRONIC BALLASTS - MAX RANGE

L2.0016746 EB MAX 2.5/4, ALF CCL DMX AutoScan, 50/60/75/300/1000 Hz, International (VEAM), 115/230 V~ Bare Ends

ELECTRONIC BALLASTS - BASIC

L2.76640.0 EB 2.5/4, ALF, 50/60/75 Hz, International (VEAM), 230 V~ Bare Ends

LIGHT CONTROL

L2.40950.0 4-leaf barndoor, True Blue (344 mm / 13.5")

L2.40960.0 8-leaf barndoor, True Blue (344 mm / 13.5")

L2.80980.0 Set of 4 scrims (330 mm / 13.0")

L2.80980.A Scrim, full single (330 mm / 13.0")

L2.80980.B Scrim, full double (330 mm / 13.0")

L2.80980.D Scrim, half double (330 mm / 13.0")

L2.80970.0 Filter frame (330 mm / 13.0")

L2.80975.0 Snoot (344 mm / 13.5") with variable aperture

SOFTBOXES

L2.76247.0 Speed Ring circular (9305) (343 mm / 13.5")



CABLES

L2.75620.0	Head-to-Ballast cable 2500/4000 W, 7 m, International connector (VEAM)	
L2.75620.C	Head-to-Ballast cable 2500/4000 W, 15 m, International connector (VEAM)	

SAFETY

L2.0007590	Safety cable (5 mm) 1 m, max. load 25 kg
------------	--

LAMPS

L2.0003883	Lamp DIS 2500 W/SE G38 UV-B (Koto)	
L2.0048682	Lamp HMI Digital 2500 W/SE G38 UVS (Osram)	



TRUE BLUE D40

[Click here for more product related information | ARRI.com](#)



TRUE BLUE D40

L1.34000.B	True Blue D40 MAN blue/silver International (VEAM)	
------------	--	--

L1.34000.F	True Blue D40 MAN blue/silver (Schaltbau)	
------------	---	--

black and P.O. versions by request

ELECTRONIC BALLASTS - MAX RANGE

L2.0016746	EB MAX 2.5/4, ALF CCL DMX AutoScan, 50/60/75/300/1000 Hz, International (VEAM), 115/230 V~ Bare Ends	
------------	--	--

ELECTRONIC BALLASTS - BASIC

L2.76640.0	EB 2.5/4, ALF, 50/60/75 Hz, International (VEAM), 230 V~ Bare Ends	
------------	---	--

LIGHT CONTROL

L2.41200.0	4-leaf barndoor, True Blue (413 mm / 16.3")	
------------	---	--

L2.81230.0	Set of 4 scrims (400 mm / 15.8")	
------------	----------------------------------	--

L2.81230.A	Scrim, full single (400 mm / 15.8")	
------------	-------------------------------------	--

L2.81230.B	Scrim, full double (400 mm / 15.8")	
------------	-------------------------------------	--

L2.81230.D	Scrim, half double (400 mm / 15.8")	
------------	-------------------------------------	--

L2.81220.0	Filter frame (400 mm / 15.8")	
------------	-------------------------------	--

L2.81225.0	Snoot (413 mm / 16.3") with variable aperture	
------------	---	--

SOFTBOXES

L2.89062.0	Speed Ring circular (9365) (411 mm / 16.2")	
------------	---	--



MOUNTING

L2.76989.0 ARRI Swiveling C Clamp (C150)



CABLES

L2.75620.0 Head-to-Ballast cable 2500/4000 W,
7 m, International connector (VEAM)



L2.75620.C Head-to-Ballast cable 2500/4000 W,
15 m, International connector (VEAM)



SAFETY

L2.0007590 Safety cable (5 mm) 1 m, max. load 25 kg

LAMPS

L2.0048683 Lamp HMI Digital 4000 W/SE G38 UVS (Osram)





This page is intentionally left blank.

ARRI Daylight 18/12

Ballast Compatibility			ARRI Daylight 18/12
ARRI Daylight 18/12			
Fixture cable length (approx.)			1.0 m
	EB MAX	EB MAX 12/18	✓
	Basic	EB 12/18	✓



ARRI DAYLIGHT 18/12

[Click here for more product related information | ARRI.com](#)



ARRI DAYLIGHT 18/12

L1.71160.B ARRI Daylight 18/12 MAN blue/silver International (VEAM)



ELECTRONIC BALLASTS - MAX RANGE

L2.0016748 EB MAX 12/18, ALF DMX AutoScan, 50/60/75/300/1000 Hz, International (VEAM), 230 V~ Bare Ends

ELECTRONIC BALLASTS - BASIC

L2.76290.0 EB 12/18, ALF with trolley, 50/60/75 Hz, International (VEAM), 230 V~ Bare Ends



LIGHT CONTROL

L2.71100.0 4-leaf barndoor (740 mm / 29.1")

L2.71115.0 Set of 4 scrims (740 mm / 29.1")

L2.71115.A Scrim, full single (740 mm / 29.1")

L2.71115.B Scrim, full double (740 mm / 29.1")

L2.71195.0 UV-protection glass Retrofit for ARRI Daylight 18/12; for the change from fresnel lens to UV-protection glass to get hard shadows



CABLES

L2.82294.0 Head-to-Ballast/Dimmer cable 12/18/24 kW, 15 m, International connector (VEAM)

L2.82294.A Head-to-Ballast/Dimmer cable 12/18/24 kW, 20 m, International connector (VEAM)



SAFETY

L2.0015517 Safety cable (10 mm) 1 m, max. load 100 kg

LAMPS

L2.89260.0 Lamp HMI 18000 W/DE XS S30 (Osram)





This page is intentionally left blank.



BALLASTS



Electronic Ballasts



Electronic Ballasts

Range	EB MAX 1.8	EB MAX 2.5/4	EB MAX 6/9	EB MAX 12/18
EB MAX				
Corresponding ARRI lamphead	M-Series M8 / M18 True Blue D5 / D12 ARRI Compact 575 ARRI Compact 1200 ARRISUN 5 / ARRISUN 12 ARRI AS 18 ARRI X5 / X12	M-Series M40 True Blue D25 / D40 ARRI Compact 2500 / Theater ARRI Compact 4000 / Theater ARRISUN 40/25 ARRI AS 40 ARRI X40/25	M-Series M90 ARRI Daylight 6000 ARRI Compact 6000 ARRISUN 6000 ARRI X60	M-Series ARRIMAX 18/12 ARRI Daylight 18/12 ARRI Compact 12000 ARRISUN 120

Range	EB 575/800
High Speed	
Corresponding ARRI lamphead	M-Series M8 True Blue D5 ARRI Compact 575 ARRISUN 5 Event ARRISUN 5 ARRI X5

Range	EB 575/1200	EB 1200/1800	EB 2500 Baby	EB 2.5/4	EB 6/9	EB 12/18
Basic						
Corresponding ARRI lamphead	True Blue D5 / D12 Compact 575 Compact 1200 ARRISUN 5 / 12 ARRI X5 / X12	M-Series M18 True Blue D12 Compact 1200 ARRISUN 12 ARRI AS 18 ARRI X12	True Blue D25 Compact 2500 / Theater	M-Series M40 True Blue D25 True Blue D40 Compact 2500 / 4000 / Theater ARRISUN 40/25 ARRI AS 40 ARRI X40/25	M-Series M90 ARRI Daylight 6000 Compact 6000 ARRISUN 6000 ARRI X60	M-Series ARRIMAX 18/12 ARRI Daylight 18/12 Compact 12000 ARRISUN 120



Electronic Ballasts

Indicators & Features Overview											
Range	EB MAX				HS	Basic					
Product	EB MAX 1.8	EB MAX 2.5/4	EB MAX 6/9	EB MAX 12/18	EB 575/800 HS	EB 575/1200	EB 1200/1800	EB 2500 Baby	EB 2.5/4	EB 6/9	EB 12/18
Indicators											
ON / OFF	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Protective Earth	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Lamp On	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Overtemperature	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Output Mode (Frequency)	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Remote / DMX	✓	✓	✓	✓	✓	-	-	✓	-	-	-
Detected Lamp Power	✓	✓	✓	✓	✓	-	✓	-	-	✓	-
Features											
Automatic Lamp Recognition	✓	✓	✓	✓	-	✓	✓	-	✓	✓	✓
Automatic Lamphead Recognition	✓	✓	✓	-	✓	✓	✓	-	✓	✓	-
Dimming	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
AutoScan	✓	✓	✓	✓	-	-	-	-	-	-	-
DMX	✓	✓	✓	✓	✓	-	-	-	-	-	-
Compensation of Cable Losses (CCL)	✓	✓	✓	-	✓	-	-	-	-	-	-
Active Line Filter (ALF)	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓



ELECTRONIC BALLASTS

[Click here for more product related information | ARRI.com](#)



ELECTRONIC BALLASTS - MAX RANGE



L2.0014190	EB MAX 1.8, 575/800/1200/1800 W, 50/60/75/300/1000 Hz, International (VEAM), 115/230 V~ Bare Ends	
------------	---	--

L2.0016746	EB MAX 2.5/4, 2500/4000 W, 50/60/75/300/1000 Hz, International (VEAM), 115/230 V~ Bare Ends	
------------	---	--

L2.0016747	EB MAX 6/9, 6000/9000 W, 50/60/75/300/1000 Hz, International (VEAM), 230 V~ Bare Ends	
------------	---	--

L2.0016748*	EB MAX 12/18, 12000/18000 W, 50/60/75/300/1000 Hz, International (VEAM), 230 V~ Bare Ends	
-------------	---	--

*without CCL

ELECTRONIC BALLASTS - HIGH SPEED

L2.76184KH	EB 575/800 HS, ALF, CCL, DMX, 50/60/75/1000 Hz, International (VEAM), 120/230 V~ Schuko	
------------	---	--

L2.0001687	EB 575/800 HS, ALF, CCL, DMX, 50/60/75/1000 Hz, International (VEAM), 120/230 V~ Bare Ends	
------------	--	--



ELECTRONIC BALLASTS - BASIC


L2.76425.0	EB 575/1200, ALF, 50/60/75 Hz, International (VEAM), 120/230 V~ Schuko	
L2.76625.0	EB 1200/1800, ALF, 50/60/75 Hz, International (VEAM) 120/230 V~ Schuko	
L2.76695.0	EB 2500 Baby, ALF, 50/60/75 Hz, International (VEAM), 230 V~ Schuko	
L2.76640.0	EB 2.5/4, ALF, 50/60/75 Hz, International (VEAM), 230 V~ Bare Ends	
L2.76180.0	EB 6/9, ALF, 50/60/75 Hz, International (VEAM), 230 V~ Bare Ends	
L2.76290.0	EB 12/18, ALF with trolley, 50/60/75 Hz, International (VEAM), 230 V~ Bare Ends	



This page is intentionally left blank.



TUNGSTEN



**ARRILITE
Plus**



ARRI Junior



True Blue T



True Blue ST



**True Blue ST
Theater**



Studio T



ARRILITE 750 PLUS

[Click here for more product related information | ARRI.com](#)



ARRILITE 750 PLUS

Cable length approx. 3.0 m, with line switch.
Incl. 4-leaf barndoor & accessory holder.

L0.0034720	ARRILITE 750 Plus MAN blue 100 - 240 V~ Bare Ends	
L0.0034721	ARRILITE 750 Plus MAN blue 100 - 240 V~ Schuko	

LIGHT CONTROL

L2.79470.0	4-leaf barndoor (168 mm / 6.6")	
L2.79460.0	Set of 4 scrims (168 mm / 6.6")	
L2.79460.A	Scrim, full single (168 mm / 6.6")	
L2.79460.B	Scrim, full double (168 mm / 6.6")	
L2.36780.0	Accessory Holder	

SOFTBOXES

L2.70844.0	Chimera Lightbank Video Pro Plus "S" incl. 3 front screens (8125)	
------------	--	--

MOUNTING

L2.76986.0	Stud 16 mm with thread 3/8" (036-38), plugs into Superclamp (035)	
------------	--	--

STANDS

L2.76976.0	Medium ARRI Kit Stand LS.2 (050A)	
L2.76965.0	Compact ARRI Kit Stand LS.01 (050MKA)	
L2.8803653	Master Stand (1004BAC)	



SAFETY

L2.0008899	Safety cable (3 mm) 0,6 m, max. load 5 kg
------------	---

LAMPS

L2.36800.0	Lamp 750 W / 230 V G9,5 2-Pin HPL (Osram)
------------	---



L2.36770.0	Lamp cooling adapter for ARRILITE 750 Plus
------------	--





ARRILITE 2000 PLUS

[Click here for more product related information | ARRI.com](#)



ARRILITE 2000 PLUS

Cable length approx. 3.0 m, with line switch. Incl. 4-leaf barndoor.

L0.0034722	ARRILITE 2000 Plus MAN blue 220 - 240 V~ Bare Ends	
------------	---	--

L0.0034723	ARRILITE 2000 Plus MAN blue 220 - 240 V~ Schuko	
------------	--	--

LIGHT CONTROL

L2.76522.0	4-leaf barndoor (250 mm / 9.8")	
------------	---------------------------------	--

L2.76950.0	Set of 4 scrims (254 mm / 10.0")	
------------	----------------------------------	--

L2.76950.C	Scrim, half single (254 mm / 10.0")	
------------	-------------------------------------	--

L2.76950.D	Scrim, half double (254 mm / 10.0")	
------------	-------------------------------------	--

MOUNTING

L2.76986.0	Stud 16 mm with thread 3/8" (036-38), plugs into Superclamp (035)
------------	--

STANDS

L2.76976.0	Medium ARRI Kit Stand LS.2 (050A)	
------------	-----------------------------------	--

L2.8803653	Master Stand (1004BAC)
------------	------------------------

SAFETY

L2.0020919	Safety cable (4 mm) 1 m, max. load 16 kg
------------	--

TRANSPORT

L2.76956.P	Case for 2 lampheads (70 x 39 x 37 cm / 27.6 x 15.4 x 14.6"), empty	
------------	--	--



This page is intentionally left blank.



ARRI 150

[Click here for more product related information | ARRI.com](#)



ARRI 150

Cable length approx. 3.0 m, with line switch or dimmer.
Incl. 4-leaf barndoor & filter frame.

L0.79360.B	ARRI 150 with line switch blue/silver 90 - 250 V~ Bare Ends	
L0.79360.D	ARRI 150 with line switch blue/silver 90 - 250 V~ Schuko	
L0.79360.E	ARRI 150 with line dimmer blue/silver 90 - 250 V~ Bare Ends	
L0.79360.F	ARRI 150 with line dimmer blue/silver 90 - 250 V~ Schuko	

LIGHT CONTROL

L2.79380.0	4-leaf barndoor (78 mm / 3.1")	
L2.73466.0	Set of 4 scrims (78 mm / 3.1")	
L2.73466.C	Scrim, half single (78 mm / 3.1")	
L2.73466.D	Scrim, half double (78 mm / 3.1")	
L2.88908.1	Scrim Bag for 78 mm / 3.1" scrims	
L2.79395.0	Filter frame (78 mm / 3.1")	
L2.79390.0	Snoot (78 mm / 3.1")	

MOUNTING

L2.76986.0	Stud 16 mm with thread 3/8" (036-38), plugs into Superclamp (035)
------------	--



STANDS

L2.76975.0	Small ARRI Kit Stand LS.1 (050KA)	
L2.76965.0	Compact ARRI Kit Stand LS.01 (050MKA)	

SAFETY

L2.0008899	Safety cable (3 mm) 0,6 m, max. load 5 kg
------------	---

LAMPS

L2.89202.0	Lamp 150 W 230 V GX6,35 (Osram)	
------------	---------------------------------	---



ARRI 300 PLUS

[Click here for more product related information | ARRI.com](#)



ARRI 300 PLUS

Cable length approx. 3.0 m, with line switch.
Incl. 4-leaf barndoor & filter frame.

L0.79200.B	ARRI 300 Plus MAN blue/silver 90 - 250 V~ Bare Ends	
L0.79200.D	ARRI 300 Plus MAN blue/silver 90 - 250 ~ Schuko	
L0.79205.B	ARRI 300 Plus MAN black 90 - 250 V~ Bare Ends	
L0.79205.D	ARRI 300 Plus MAN black 90 - 250 V~ Schuko	

LIGHT CONTROL

L2.79170.0	4-leaf barndoor (130 mm / 5.1")	
L2.79160.0	Set of 4 scrims (130 mm / 5.1")	
L2.79160.A	Scrim, full single (130 mm / 5.1")	
L2.79160.B	Scrim, full double (130 mm / 5.1")	
L2.79160.D	Scrim, half double (130 mm / 5.1")	
L2.88911.1	Scrim Bag for 130 mm / 5.1" scrims	
L2.79190.0	Filter frame (130 mm / 5.1")	
L2.79180.0	Snoot (130 mm / 5.1")	

SOFTBOXES

L2.76719.0	Chimera Lightbank Video Pro Plus "XS" incl. 3 front screens (8115)	
L2.70844.0	Chimera Lightbank Video Pro Plus "S" incl. 3 front screens (8125)	



MOUNTING

L2.76986.0	Stud 16 mm with thread 3/8" (036-38), plugs into Superclamp (035)
------------	---

STANDS

L2.76976.0	Medium ARRI Kit Stand LS.2 (050A)
------------	-----------------------------------



L2.76965.0	Compact ARRI Kit Stand LS.01 (050MKA)
------------	---------------------------------------

SAFETY

L2.0008899	Safety cable (3 mm) 0,6 m, max. load 5 kg
------------	---

LAMPS

L2.89203.0	Lamp 300 W 240 V GY9,51 CP81 (Osram)
------------	--------------------------------------





ARRI 650 PLUS

[Click here for more product related information | ARRI.com](#)



ARRI 650 PLUS

Cable length approx. 3.0 m, with line switch (MAN version), 2.0 m (P.O. version).
Incl. 4-leaf barndoor & filter frame.

L0.79400.B	ARRI 650 Plus MAN blue/silver 90 - 250 V~ Bare Ends	
L0.79400.D	ARRI 650 Plus MAN blue/silver 90 - 250 V~ Schuko	
L0.79400.I	ARRI 650 Plus P.O. blue/silver 90 - 250 V~ Bare Ends	
L0.79400.K	ARRI 650 Plus P.O. blue/silver 90 - 250 V~ Schuko	
L0.79405.B	ARRI 650 Plus MAN black 90 - 250 V~ Bare Ends	
L0.79405.D	ARRI 650 Plus MAN black 90 - 250 V~ Schuko	
L0.79405.K	ARRI 650 Plus P.O. black 90 - 250 V~ Schuko	

LIGHT CONTROL

L2.79470.0	4-leaf barndoor (168 mm / 6.6")	
L2.79471.0	4-leaf barndoor, black/silver (168 mm / 6.6")	
L2.79500.0	8-leaf barndoor (168 mm / 6.6")	
L2.79490.0	Filter frame (168 mm / 6.6")	
L2.79460.0	Set of 4 scrims (168 mm / 6.6")	
L2.79460.A	Scrim, full single (168 mm / 6.6")	
L2.79460.B	Scrim, full double (168 mm / 6.6")	



LIGHT CONTROL

L2.79480.0 Snoot (168 mm / 6.6")

SOFTBOXES

L2.70844.0 Chimera Lightbank Video Pro Plus "S"
incl. 3 front screens (8125)



L2.89068.0 Speed Ring circular (9670) (168 mm / 6.6")



L2.89074.0 Speed Ring circular metal (9670AL)
(168 mm / 6.6")



L2.89069.0 Speed Ring circular (9672) (168 mm / 6.6")



MOUNTING

L2.76986.0 Stud 16 mm with thread 3/8" (036-38),
plugs into Superclamp (035)

STANDS

L2.76976.0 Medium ARRI Kit Stand LS.2 (050A)



L2.76965.0 Compact ARRI Kit Stand LS.01 (050MKA)

SAFETY

L2.0008899 Safety cable (3 mm) 0,6 m, max. load 5 kg

LAMPS

L2.89205.0 Lamp 650 W 230 V GY9,5 FRL CP89 (Osram)





TRUE BLUE T1

[Click here for more product related information | ARRI.com](#)



TRUE BLUE T1

Cable length approx. 3.0 m, with line switch (MAN version), 1.5 m (P.O. version).
Incl. 4-leaf barndoor & filter frame.

L0.39610.B	True Blue T1 MAN blue/silver 220 - 250 V~ Bare Ends	
------------	--	--

L0.39610.D	True Blue T1 MAN blue/silver 220 - 250 V~ Schuko	
------------	---	--

L0.39610.I	True Blue T1 P.O. blue/silver 220 - 250 V~ Bare Ends	
------------	---	--

L0.39615.B	True Blue T1 MAN black 220 - 250 V~ Bare Ends	
------------	--	--

L0.39615.D	True Blue T1 MAN black 220 - 250 V~ Schuko	
------------	---	--

L0.39615.I	True Blue T1 P.O. black 220 - 250 V~ Bare Ends	
------------	---	--

LIGHT CONTROL

L2.39670.0	4-leaf barndoor, True Blue (197 mm / 7.8")	
------------	--	--

L2.39700.0	8-leaf barndoor, True Blue (197 mm / 7.8")	
------------	--	--

L2.79660.0	Set of 4 scrims (197 mm / 7.8")	
------------	---------------------------------	--

L2.79660.A	Scrim, full single (197 mm / 7.8")	
------------	------------------------------------	--

L2.79660.C	Scrim, half single (197 mm / 7.8")	
------------	------------------------------------	--

L2.79690.0	Filter frame (197 mm / 7.8")	
------------	------------------------------	--

L2.79680.0	Snoot (197 mm / 7.8") with variable aperture	
------------	--	--



SOFTBOXES

L2.70844.0	Chimera Lightbank Video Pro Plus "S" incl. 3 front screens (8125)	
L2.89053.0	Chimera Lightbank Daylite Junior Plus "S" incl. 3 front screens (8225)	
L2.76246.0	Speed Ring circular (9190) (197 mm / 7.8")	

MOUNTING

L2.40701.3	Spigot 28 mm, long, with flange & allen screw, fits profile stirrups without sleeve cuff	
------------	---	--

STANDS

L2.8803653	Master Stand (1004BAC)	
------------	------------------------	--

SAFETY

L2.0020919	Safety cable (4 mm) 1 m, max. load 16 kg	
------------	--	--

TRANSPORT

L2.76956.P	Case for 2 lampheads (70 x 39 x 37 cm / 27.6 x 15.4 x 14.6"), empty	
------------	--	--

LAMPS

L2.89208.0	Lamp 1000 W 230 V G22 FKJ CP71 (Osram)	
------------	--	--



TRUE BLUE T2

[Click here for more product related information | ARRI.com](#)



TRUE BLUE T2

Cable length approx. 3.0 m, with line switch (MAN version), 1.5 m (P.O. version).
Incl. 4-leaf barndoor & filter frame.

L0.41250.B	True Blue T2 MAN blue/silver 220 - 250 V~ Bare Ends	
L0.41250.D	True Blue T2 MAN blue/silver 220 - 250 V~ Schuko	
L0.41250.I	True Blue T2 P.O. blue/silver 220 - 250 V~ Bare Ends	
L0.41255.B	True Blue T2 MAN black 220 - 250 V~ Bare Ends	
L0.41255.D	True Blue T2 MAN black 220 - 250 V~ Schuko	
L0.41255.I	True Blue T2 P.O. black 220 - 250 V~ Bare Ends	

LIGHT CONTROL

L2.39870.0	4-leaf barndoor, True Blue (245 mm / 9.7")	
L2.79860.0	Set of 4 scrims (230 mm / 9.1")	
L2.79860.A	Scrim, full single (230 mm / 9.1")	
L2.79860.B	Scrim, full double (230 mm / 9.1")	
L2.79860.D	Scrim, half double (230 mm / 9.1")	
L2.79890.0	Filter frame (230 mm / 9.1")	

MOUNTING

L2.76989.0	ARRI Swiveling C Clamp (C150)	
------------	-------------------------------	--



SAFETY

L2.0020919 Safety cable (4 mm) 1 m, max. load 16 kg

LAMPS

L2.89213.0 Lamp 2000 W 230 V G38 FKK CP73 (Osram)





TRUE BLUE T5

[Click here for more product related information | ARRI.com](#)



TRUE BLUE T5

Cable length approx. 3.0 m, with line switch.
Incl. 4-leaf barndoor & filter frame.

L0.40000.B	True Blue T5 MAN blue/silver 220 - 250 V~ Bare Ends	
L0.40005.B	True Blue T5 MAN black 220 - 250 V~ Bare Ends	

LIGHT CONTROL

L2.40950.0	4-leaf barndoor, True Blue (344 mm / 13.5")	
L2.40960.0	8-leaf barndoor, True Blue (344 mm / 13.5")	
L2.80980.0	Set of 4 scrims (330 mm / 13.0")	
L2.80980.A	Scrim, full single (330 mm / 13.0")	
L2.80980.B	Scrim, full double (330 mm / 13.0")	
L2.80980.D	Scrim, half double (330 mm / 13.0")	
L2.80970.0	Filter frame (330 mm / 13.0")	
L2.80975.0	Snoot (344 mm / 13.5") with variable aperture	

SOFTBOXES

L2.76247.0	Speed Ring circular (9305) (343 mm / 13.5")	
------------	---	--

MOUNTING

L2.76989.0	ARRI Swiveling C Clamp (C150)	
------------	-------------------------------	--

SAFETY

L2.0007590	Safety cable (5 mm) 1 m, max. load 25 kg	
------------	--	--



This page is intentionally left blank.



TRUE BLUE ST1

[Click here for more product related information | ARRI.com](#)



TRUE BLUE ST1

Cable length approx. 1.5 m. MAN Location version: cable 3.0 m, with line switch.
Incl. 4-leaf barndoor & filter frame.

L0.40500.B	True Blue ST1 MAN blue/silver 100 - 240 V~ Bare Ends	
L0.40500.D	True Blue ST1 MAN blue/silver 100 - 240 V~ Schuko	
L0.40500.I	True Blue ST1 P.O. blue/silver 100 - 240 V~ Bare Ends	
L0.40500.K	True Blue ST1 P.O. blue/silver 100 - 240 V~ Schuko	
L0.40500LB	True Blue ST1 MAN Location blue/silver 100 - 240 V~ Bare Ends	
L0.40505.B	True Blue ST1 MAN black 100 - 240 V~ Bare Ends	
L0.40505.D	True Blue ST1 MAN black 100 - 240 V~ Schuko	
L0.40505.I	True Blue ST1 P.O. black 100 - 240 V~ Bare Ends	
L0.40505.K	True Blue ST1 P.O. black 100 - 240 V~ Schuko	

LIGHT CONTROL

L2.39870.0	4-leaf barndoor, True Blue (245 mm / 9.7")	
L2.79860.0	Set of 4 scrims (230 mm / 9.1")	
L2.79860.A	Scrim, full single (230 mm / 9.1")	
L2.79860.B	Scrim, full double (230 mm / 9.1")	



LIGHT CONTROL

L2.79860.D	Scrim, half double (230 mm / 9.1") for M8, True Blue D12, True Blue T2 & True Blue ST1	
L2.79890.0	Filter frame (230 mm / 9.1") for M8, True Blue D12, True Blue T2 & True Blue ST1	

MOUNTING

L2.76989.0	ARRI Swiveling C Clamp (C150)	
------------	-------------------------------	---

STANDS

L2.8803224	Combo Steel Stand (A1035CS)
------------	-----------------------------

SAFETY

L2.0020919	Safety cable (4 mm) 1 m, max. load 16 kg
------------	--

LAMPS

L2.89208.0	Lamp 1000 W 230 V G22 FKJ CP71 (Osram)	
------------	--	---



TRUE BLUE ST2/3

[Click here for more product related information | ARRI.com](#)



TRUE BLUE ST2/3

Cable length approx. 1.5 m. MAN Location version: cable 3.0 m, with line switch and location top latch. Incl. 4-leaf barndoor & filter frame.

L0.40750.B	True Blue ST2/3 MAN blue/silver 220 - 250 V~ Bare Ends	
L0.40750.D	True Blue ST2/3 MAN blue/silver 220 - 250 V~ Schuko	
L0.40750.I	True Blue ST2/3 P.O. blue/silver 220 - 250 V~ Bare Ends	
L0.40750.K	True Blue ST2/3 P.O. blue/silver 220 - 250 V~ Schuko	
L0.40750LB	True Blue ST2/3 MAN Location blue/silver 220 - 250 V~ Bare Ends	
L0.40755.B	True Blue ST2/3 MAN black 220 - 250 V~ Bare Ends	
L0.40755.D	True Blue ST2/3 MAN black 220 - 250 V~ Schuko	
L0.40755.I	True Blue ST2/3 P.O. black 220 - 250 V~ Bare Ends	
L0.40755.K	True Blue ST2/3 P.O. black 220 - 250 V~ Schuko	

LIGHT CONTROL

L2.40950.0	4-leaf barndoor, True Blue (344 mm / 13.5")	
L2.40960.0	8-leaf barndoor, True Blue (344 mm / 13.5")	
L2.80980.0	Set of 4 scrims (330 mm / 13.0")	
L2.80980.A	Scrim, full single (330 mm / 13.0")	
L2.80980.B	Scrim, full double (330 mm / 13.0")	



LIGHT CONTROL

L2.80980.D	Scrim, half double (330 mm / 13.0")	
L2.80970.0	Filter frame (330 mm / 13.0")	
L2.80975.0	Snoot (344 mm / 13.5") with variable aperture	

SOFTBOXES

L2.76247.0	Speed Ring circular (9305) (343 mm / 13.5")	
------------	---	---

MOUNTING

L2.76989.0	ARRI Swiveling C Clamp (C150)	
------------	-------------------------------	---

SAFETY

L2.0007590	Safety cable (5 mm) 1 m, max. load 25 kg	
------------	--	--

LAMPS

L2.89213.0	Lamp 2000 W 230 V G38 FKK CP73 (Osram)	
------------	--	---



TRUE BLUE ST5

[Click here for more product related information | ARRI.com](#)



TRUE BLUE ST5

Cable length approx. 1.5 m. MAN Location version: cable 3.0 m, with line switch and location top latch. Incl. 4-leaf barndoor & filter frame.

L0.41000.B	True Blue ST5 MAN blue/silver 220 - 250 V~ Bare Ends	
------------	---	--

L0.41000.I	True Blue ST5 P.O. blue/silver 220 - 250 V~ Bare Ends	
------------	--	--

L0.41000LB	True Blue ST5 MAN Location blue/silver 220 - 250 V~ Bare Ends	
------------	--	--

L0.41005.B	True Blue ST5 MAN black 220 - 250 V~ Bare Ends	
------------	---	--

L0.41005.I	True Blue ST5 P.O. black 220 - 250 V~ Bare Ends	
------------	--	--

LIGHT CONTROL

L2.41200.0	4-leaf barndoor, True Blue (413 mm / 16.3")	
------------	---	--

L2.81230.0	Set of 4 scrims (400 mm / 15.8")	
------------	----------------------------------	--

L2.81230.A	Scrim, full single (400 mm / 15.8")	
------------	-------------------------------------	--

L2.81230.B	Scrim, full double (400 mm / 15.8")	
------------	-------------------------------------	--

L2.81230.D	Scrim, half double (400 mm / 15.8")	
------------	-------------------------------------	--

L2.81220.0	Filter frame (400 mm / 15.8")	
------------	-------------------------------	--

L2.81225.0	Snoot (413 mm / 16.3") with variable aperture	
------------	---	--

SOFTBOXES

L2.89062.0	Speed Ring circular (9365) (411 mm / 16.2")	
------------	---	--



MOUNTING

L2.76989.0 ARRI Swiveling C Clamp (C150)



STANDS

L2.8803225 Combo Alu Stand (A1035B)

SAFETY

L2.0007590 Safety cable (5 mm) 1 m, max. load 25 kg

MISCELLANEOUS

L2.34065.0 Conversion Kit from True Blue ST5 to Theater version: Theater cassette with barndoor insert





TRUE BLUE ST1/2 THEATER

[Click here for more product related information | ARRI.com](#)



TRUE BLUE ST1/2 THEATER

Cable length approx. 1.5 m. Incl. spill light frame & theater cassette.
Without barndoor.

L1.40515.B	True Blue ST1/2 Theater MAN black 220 - 250 V~ Bare Ends
------------	---



L1.40525.B	True Blue ST1/2 Theater MOT black 220 - 250 V~ Bare Ends
------------	---



LIGHT CONTROL

L2.39870.0	4-leaf barndoor, True Blue (245 mm / 9.7")
------------	--

L2.33817.0	Filter frame for theater cassette (245 mm / 9.7")
------------	---



SAFETY

L2.0020919	Safety cable (4 mm) 1 m, max. load 16 kg
------------	--

LAMPS

L2.89208.0	Lamp 1000 W 230 V G22 FKJ CP71 (Osram)
------------	--





TRUE BLUE ST5 THEATER

[Click here for more product related information | ARRI.com](#)



TRUE BLUE ST5 THEATER

Cable length approx. 1.5 m (MAN) & 3.0 m (MOT). Incl. spill light frame & theater cassette. Without barndoor.

L1.41015.B	True Blue ST5 Theater MAN black 220 - 250 V~ Bare Ends
------------	---



L1.41025.B	True Blue ST5 Theater MOT black 220 - 250 V~ Bare Ends
------------	---



LIGHT CONTROL

L2.41200.0	4-leaf barndoor, True Blue (413 mm / 16.3")
------------	---



SAFETY

L2.0014058	Safety cable (6 mm) 1 m, max. load 36 kg
------------	--



STUDIO T12

[Click here for more product related information | ARRI.com](#)



STUDIO T12

Cable length approx. 4.0 m.

Incl. 4-leaf barndoor.

L0.82120.B	STUDIO T12 MAN blue/silver 220 - 250 V~ Bare Ends	
------------	--	--

LIGHT CONTROL

L2.82150.0	4-leaf barndoor (510 mm / 20.1")	
L2.82160.B	Scrim, full double (495 mm / 19.5")	
L2.82160.C	Scrim, half single (495 mm / 19.5")	
L2.82160.D	Scrim, half double (495 mm / 19.5")	
L2.82155.0	Filter frame (495 mm / 19.5")	

MOUNTING

L2.76989.0	ARRI Swiveling C Clamp (C150)	
L2.0000885	T12 Top latch for heavy accessories	

SAFETY

L2.0014058	Safety cable (6 mm) 1 m, max. load 36 kg
------------	--



This page is intentionally left blank.



STUDIO T24

[Click here for more product related information | ARRI.com](#)



STUDIO T24

Cable length approx. 1.0 m.
Without barndoor.

L1.82270.B	STUDIO T24 MAN blue/silver 220 - 250 V~ International (VEAM)	
L0.82270.D	STUDIO T24 Set MAN blue/silver 220 - 250 V~ International (VEAM)	

LIGHT CONTROL

L2.71100.0	4-leaf barndoor (740 mm / 29.1")	
L2.71115.0	Set of 4 scrims (740 mm / 29.1")	
L2.71115.A	Scrim, full single (740 mm / 29.1")	
L2.71115.B	Scrim, full double (740 mm / 29.1")	
L2.71110.0	Filter frame (740 mm / 29.1")	

SOFTBOXES

L2.89064.0	Speed Ring circular (9464) (735 mm / 29.0")	
------------	---	--

CABLES

L2.82294.0	Head-to-Ballast/Dimmer cable 12/18/24 kW, 15 m, International connector (VEAM)	
L2.82294.A	Head-to-Ballast/Dimmer cable 12/18/24 kW, 20 m, International connector (VEAM)	
L2.82297.0	Mains cable 125 A / 230 V, 7 m, International connector (Cannon / CEE blue)	



SAFETY

L2.0015517 Safety cable (10 mm) 1 m, max. load 100 kg

LAMPS

L2.89218.0 Lamp 20000 W 230 V G38 CP99 (Osram)



MISCELLANEOUS

L2.83396.0 Retrofit lampcarriage with fan for STUDIO T24 (200 V~ version)



L2.82296.0 Dimmer ADM 24, 24 kW, 230 V, with hour counter and option for remote control via 5 pin XLR* for 0..10 V controller, pre-heat function, international connector (VEAM), blue standard housing with handle



* No DMX applicable



This page is intentionally left blank.



PLA

PROFESSIONAL LIGHTING ACCESSORIES




Optics



Lamphead
Control



Diffusion,
Spill Rings ...



Barndoors



Scrims &
Scrim Bags



Filter Frames




Softboxes ...



Grip



Cables



Stands,
Wheels ...



Cases



Lamps



Lenses



Other Accessories





OPTICS

[Click here for more product related information | ARRI.com](#)



SKYPANEL X OPTICS

L2.0048580	X21 HyPer Optic
L2.0049578	Beam Enhancer Filter for X21 HyPer Optic
L2.0048643	X21 Dome
L2.0048578	S60 Adapter for X21

Orbiter OPTICS

L2.0048438	Orbiter Beam	NEW
L2.0033549	Orbiter Projection Optic 25° incl. gobo holder	
L2.0033550	Orbiter Projection Optic 35° incl. gobo holder	
L2.0033843	Orbiter Projection Optic - Goboholder	
L2.0033841	Snoot for Orbiter Projection Optic 25°/35°	
L2.0039436	Orbiter Fresnel Lens 15 - 65°	
L2.0039438	Orbiter Dome Mini	
L2.0039439	Orbiter Glass Cover	
L2.0033542	Orbiter Open Face Optic 60° / Carton Box	
L2.0033541	Orbiter Open Face Optic 30° / Carton Box	
L2.0033540	Orbiter Open Face Optic 15° / Carton Box	
L2.0041133	Orbiter Open Face Kit incl. Bag, 15°, 30° & 60° Open Face Optics	



LAMPHEAD CONTROL

[Click here for more product related information | ARRI.com](#)



CONTROL PANEL FOR SKYPANEL X & Orbiter

L2.0048844 ALL-WEATHER Control Panel
(without cable, pouch, lanyard, D-ring, velcro)

L2.0033732 Orbiter Control Panel (without Cable)



L2.0033799 Cable for Control Panel, 5 m

L2.0033800 Cable for Control Panel, 15 m

L2.0033796 Control Panel Carrying Pouch



REMOTE CONTROL FOR CLASSIC SKYPANEL & L-SERIES PLUS

L2.0022690 SkyPanel Remote

L2.0013861 SkyPanel Remote USB cable, 5 m

L2.0013945 SkyPanel Remote Carrying Pouch


LIGHTING CONTROL APP

- Stellar
*Use up to 5 fixtures free of charge





DIFFUSION, SPILL RINGS, SNOOTS & LOUVERS



[Click here for more product related information | ARRI.com](#)

DIFFUSION FOR SKYPANEL

L2.0007325	Standard Diffusion for SkyPanel S30 107° HPA
L2.0007326	Heavy Diffusion for SkyPanel S30 114° HPA
L2.0007327	Lite Diffusion for SkyPanel S30 105° HPA
L2.0007823	Intensifier for SkyPanel S30-C 73° HPA
L2.0003345	Standard Diffusion for SkyPanel S60 107° HPA
L2.0003903	Heavy Diffusion for SkyPanel S60 114° HPA
L2.0003904	Lite Diffusion for SkyPanel S60 105° HPA
L2.0007818	Intensifier for SkyPanel S60-C 73° HPA
L2.0008188	Extra Diffusion Slot for SkyPanel S60
L0.0008461	Diffusion Kit S60 (Lite & Heavy Diffusor, Intensifier & Panel Carrying Bag)
L2.0009501	Standard Diffusion for SkyPanel S120-C 107° HPA
L2.0009500	Heavy Diffusion for SkyPanel S120-C 114° HPA
L2.0009502	Lite Diffusion for SkyPanel S120-C 105° HPA
L2.0009503	Intensifier for SkyPanel S120-C 73° HPA
L2.0015014	Standard Diffusion for SkyPanel S360-C 107° HPA
L2.0015013	Heavy Diffusion for SkyPanel S360-C 114° HPA
L2.0015016	Lite Diffusion for SkyPanel S360-C 105° HPA
L2.0015022	Intensifier for SkyPanel S360-C 73° HPA



**DIFFUSION FOR M-SERIES**

L2.0001006 Frosted glass (330 mm / 13.0") for M18

**SPILL RINGS / FRAMES**

L2.37207.0 Spill Ring (230 mm / 9.1") for M8



L2.37670.0 Spill Ring (330 mm / 13.0") for M18



L2.37305.0 Spill Ring (400 mm / 15.8") for M40



L2.37561.0 Spill Ring (571 mm / 22.5") for M90

SNOOTS

L2.0008019 Snoot for SkyPanel S30

L2.0007999 Snoot for SkyPanel S60



L2.79390.0 Snoot (78 mm / 3.1") for ARRI 150



L2.79180.0 Snoot (130 mm / 5.1") for ARRI 300 Plus



L2.79480.0 Snoot (168 mm / 6.6") for Orbiter Open Face 30° & 60°, L5 & ARRI 650 Plus

L2.79680.0 Snoot (197 mm / 7.8") with variable aperture for L7, True Blue D5 & True Blue T1

L2.80975.0 Snoot (344 mm / 13.5") with variable aperture for L10, M18, True Blue D25, Compact 2500 Theater, True Blue T5 & ST2/3



L2.81225.0 Snoot (413 mm / 16.3") with variable aperture for M40, True Blue D40, Compact 4000 Theater & True Blue ST5



**LOUVERS**

L2.0008048	4-Chamber Eggcrate for SkyPanel S30	
L2.0008064	Honeycomb 60° for SkyPanel S30	
L2.0008065	Honeycomb 30° for SkyPanel S30	
L2.0007977	8-Chamber Eggcrate for SkyPanel S60	
L2.0008058	Honeycomb 60° for SkyPanel S60	
L2.0008059	Honeycomb 30° for SkyPanel S60	
L2.0009690	16-Chamber Eggcrate for SkyPanel S120-C	
L2.0009561	Honeycomb 60° for SkyPanel S120-C	
L2.0009562	Honeycomb 30° for SkyPanel S120-C	
L2.0014979	Honeycomb 60° for SkyPanel S360-C	
L2.0014978	Honeycomb 30° for SkyPanel S360-C	

SKYBENDER

L2.0009611	SkyBender for SkyPanel S60-C	
L2.0010352	SkyBender for SkyPanel S120-C	

PROTECTIVE GLASSES

L2.71195.0	UV-protection glass Retrofit for ARRI Daylight 18/12; for the change from fresnel lens to UV-protection glass to get hard shadows	
------------	---	--



BARNDOORS



[Click here for more product related information | ARRI.com](#)

4-LEAF BARNDOORS

L2.0008187	4-leaf barndoor for SkyPanel S30	
L2.0007530	4-leaf barndoor for SkyPanel S60	
L2.0010114	4-leaf barndoor for SkyPanel S120-C	
L2.79380.0	4-leaf barndoor (78 mm / 3.1") for ARRI 150	
L2.79170.0	4-leaf barndoor (130 mm / 5.1") for ARRI 300 Plus	
L2.79470.0	4-leaf barndoor (168 mm / 6.6") for Orbiter Open Face 60° & 30°, L5, ARRILITE 750 Plus & ARRI 650 Plus	
L2.79471.0	4-leaf barndoor, black/silver (168 mm / 6.6") for L5 & ARRI 650 Plus	
L2.39670.0	4-leaf barndoor, True Blue (197 mm / 7.8") for L7, True Blue D5 & True Blue T1	
L2.76522.0	4-leaf barndoor (250 mm / 9.8") for ARRILITE 2000 Plus	
L2.39870.0	4-leaf barndoor, True Blue (245 mm / 9.7") for Orbiter Open Face 15°, M8, True Blue D12, True Blue T2, True Blue ST1 & ST1/2 Theater	
L2.40950.0	4-leaf barndoor, True Blue (344 mm / 13.5") for Orbiter Fresnel Lens 15 - 65°, L10, M18, ARRISUN 18 EVENT, True Blue D25, Compact 2500 Theater, True Blue T5 & ST2/3	
L2.41200.0	4-leaf barndoor, True Blue (413 mm / 16.3") for M40, True Blue D40, Compact 4000 Theater & True Blue ST5	

**4-LEAF BARNDOORS**

L2.82150.0 4-leaf barndoor (510 mm / 20.1") for STUDIO T12



L2.37560.0 4-leaf barndoor (584 mm / 23.0") for M90

L2.71100.0 4-leaf barndoor (740 mm / 29.1") for ARRIMAX
18/12, ARRI Daylight 18/12 & STUDIO T24

8-LEAF BARNDOORS

L2.79500.0 8-leaf barndoor (168 mm / 6.6")
for Orbiter Open Face 60° & 30°, L5 &
ARRI 650 Plus

L2.39700.0 8-leaf barndoor, True Blue (197 mm / 7.8")
for L7, True Blue D5 & True Blue T1

8-LEAF BARNDOORS

L2.40960.0 8-leaf barndoor, True Blue (344 mm / 13.5")
for Orbiter Fresnel Lens 15 - 65°, L10, M18, True
Blue D25, Compact 2500 Theater, True Blue T5 &
ST2/3



SCRIMS & SCRIM BAGS

[Click here for more product related information | ARRI.com](#)



SCRIMS

L2.73466.0	Set of 4 scrims (78 mm / 3.1") for ARRI 150	
L2.73466.C	Scrim, half single (78 mm / 3.1") for ARRI 150	
L2.73466.D	Scrim, half double (78 mm / 3.1") for ARRI 150	
L2.79160.0	Set of 4 scrims (130 mm / 5.1") for ARRI 300 Plus	
L2.79160.A	Scrim, full single (130 mm / 5.1") for ARRI 300 Plus	
L2.79160.B	Scrim, full double (130 mm / 5.1") for ARRI 300 Plus	
L2.79160.D	Scrim, half double (130 mm / 5.1") for ARRI 300 Plus	
L2.79460.0	Set of 4 scrims (168 mm / 6.6") for ARRILITE 750 Plus & ARRI 650 Plus	
L2.79460.A	Scrim, full single (168 mm / 6.6") for ARRILITE 750 Plus & ARRI 650 Plus	
L2.79460.B	Scrim, full double (168 mm / 6.6") for ARRILITE 750 Plus & ARRI 650 Plus	
L2.79660.0	Set of 4 scrims (197 mm / 7.8") for True Blue D5 & True Blue T1	
L2.79660.A	Scrim, full single (197 mm / 7.8") for True Blue D5 & True Blue T1	
L2.79660.C	Scrim, half single (197 mm / 7.8") for True Blue D5 & True Blue T1	



SCRIMS

L2.79860.0	Set of 4 scrims (230 mm / 9.1") for M8, True Blue D12, True Blue T2 & True Blue ST1	
L2.79860.A	Scrim, full single (230 mm / 9.1") for M8, True Blue D12, True Blue T2 & True Blue ST1	
L2.79860.B	Scrim, full double (230 mm / 9.1") for M8, True Blue D12, True Blue T2 & True Blue ST1	
L2.79860.D	Scrim, half double (230 mm / 9.1") for M8, True Blue D12, True Blue T2 & True Blue ST1	
L2.76950.0	Set of 4 scrims (254 mm / 10.0") for ARRILITE 2000 Plus	
L2.76950.C	Scrim, half single (254 mm / 10.0") for ARRILITE 2000 Plus	
L2.76950.D	Scrim, half double (254 mm / 10.0") for ARRILITE 2000 Plus	
L2.80980.0	Set of 4 scrims (330 mm / 13.0") for M18, True Blue D25, True Blue T5 & ST2/3	
L2.80980.A	Scrim, full single (330 mm / 13.0") for M18, True Blue D25, True Blue T5 & ST2/3	
L2.80980.B	Scrim, full double (330 mm / 13.0") for M18, True Blue D25, True Blue T5 & ST2/3	
L2.80980.D	Scrim, half double (330 mm / 13.0") for M18, True Blue D25, True Blue T5 & ST2/3	
L2.81230.0	Set of 4 scrims (400 mm / 15.8") for M40, True Blue D40 & True Blue ST5	
L2.81230.A	Scrim, full single (400 mm / 15.8") for M40, True Blue D40 & True Blue ST5	
L2.81230.B	Scrim, full double (400 mm / 15.8") for M40, True Blue D40 & True Blue ST5	
L2.81230.D	Scrim, half double (400 mm / 15.8") for M40, True Blue D40 & True Blue ST5	



SCRIMS


L2.82160.B	Scrim, full double (495 mm / 19.5") for STUDIO T12	
L2.82160.C	Scrim, half single (495 mm / 19.5") for STUDIO T12	
L2.82160.D	Scrim, half double (495 mm / 19.5") for STUDIO T12	
L2.0008688	Set of 4 scrims (571 mm / 22.5") for M90	
L2.0008690	Scrim, full single (571 mm / 22.5") for M90	
L2.0008689	Scrim, full double (571 mm / 22.5") for M90	
L2.0008692	Scrim, half single (571 mm / 22.5") for M90	
L2.0008691	Scrim, half double (571 mm / 22.5") for M90	
L2.71115.0	Set of 4 scrims (740 mm / 29.1") for ARRIMAX 18/12, ARRI Daylight 18/12 & STUDIO T24	
L2.71115.A	Scrim, full single (740 mm / 29.1") for ARRIMAX 18/12, ARRI Daylight 18/12 & STUDIO T24	
L2.71115.B	Scrim, full double (740 mm / 29.1") for ARRIMAX 18/12, ARRI Daylight 18/12 & STUDIO T24	

SCRIM BAGS

L2.88908.1	Scrim Bag for 78 mm / 3.1" scrims (ARRI 150)	
L2.88911.1	Scrim Bag for 130 mm / 5.1" scrims (ARRI 300 Plus)	
L2.88913.1	Scrim Bag for 197 mm / 7.8" scrims (True Blue D5 & True Blue T1)	
L2.88914.1	Scrim Bag for 230 mm / 9.1" scrims (M8, True Blue D12, True Blue T2 & True Blue ST1)	
L2.88915.1	Scrim Bag for 330 mm / 13.0" scrims (M18, True Blue D25, True Blue T5 & ST2/3)	
L2.88916.1	Scrim Bag for 400 mm / 15.8" scrims (M40, True Blue D40 & True Blue ST5)	
L2.37563.1	Scrim Bag for 571 mm / 22.5" scrims (M90)	
L2.89555.1	Scrim Bag for 740 mm / 29.1"scrims (ARRIMAX 18/12, ARRI Daylight 18/12 & STUDIO T24)	



FILTER FRAMES



[Click here for more product related information | ARRI.com](#)

FILTER FRAMES - CIRCULAR SHAPE

L2.79395.0	Filter frame (78 mm / 3.1") for ARRI 150	
L2.79190.0	Filter frame (130 mm / 5.1") for ARRI 350 Plus	
L2.79490.0	Filter frame (168 mm / 6.6") for L5 & ARRI 650 Plus	
L2.79690.0	Filter frame (197 mm / 7.8") for L7, True Blue D5 & True Blue T1	
L2.79890.0	Filter frame (230 mm / 9.1") for M8, True Blue D12, True Blue T2 & True Blue ST1	
L2.80970.0	Filter frame (330 mm / 13.0") for Orbiter Fresnel Lens 15 - 65°, L10, M18, True Blue D25, Compact 2500 Theater, True Blue T5 & ST2/3	
L2.81220.0	Filter frame (400 mm / 15.8") for M40, True Blue D40, Compact 4000 Theater & True Blue ST5	
L2.82155.0	Filter frame (495 mm / 19.5") for STUDIO T12	
L2.71110.0	Filter frame (740 mm / 29.1") for STUDIO T24	

FILTER FRAMES - SQUARE SHAPE

L2.33817.0	Filter frame for Theater cassette (245 mm / 9.7") for True Blue ST1/2 Theater	
------------	--	--



SOFTBOXES, ACCESSORY HOLDERS & SPEED RINGS



[Click here for more product related information | ARRI.com](#)

SOFTBOXES FOR SKYPANEL X

L2.0049585	DoPchoice SNAPBOX®-SNOOT for X21
L2.0049580	DoPchoice SNAPBAG® for X21
L2.0049582	DoPchoice SNAPGRID® 30° for X21
L2.0008143	DoPchoice SnapGrid 40° for SNAPBAG® X21 & S60

SOFTBOXES FOR Orbiter

L2.0033840	DoPchoice SnapBag S for Orbiter	
L2.0034270	DoPchoice SnapBag M for Orbiter	
L2.0038791	DoPchoice SnapGrid M 40° fits DoPchoice SnapBag M for Orbiter	
L2.0034269	DoPchoice Octa 4 for Orbiter	
L2.0034266	DoPchoice Dome S for Orbiter	
L2.0034267	DoPchoice Dome M for Orbiter	
L2.0034268	DoPchoice Dome L for Orbiter	
L2.0033839	Chimera Lightbank S for Orbiter	
L2.0036058	Chimera Lightbank M for Orbiter	
L2.0034271	Chimera Octa 4 for Orbiter	
L2.0041050	EZ POP Soft Egg Crate 50° for Chimera Octa 4	
L2.0034621	Chimera Dome M for Orbiter	
L2.0034622	Chimera Dome L for Orbiter	
L2.0039437	Orbiter Bag-o-Light	



SOFTBOXES AND ACCESSORIES FOR SKYPANEL

L2.0015899	Chimera Lantern with Skirt for S30	
L2.0021388	Chimera Lightbank with Brackets for S30	
L2.0008142	DoPchoice SnapGrid 40° for S30	
L2.0008140	DoPchoice SnapGrid 40° for SnapBag S30	
L2.0008141	DoPchoice SnapBag for S30	
L2.0015900	Chimera Lantern with Skirt for S60	
L2.0020499	Chimera POP Bank for S60	
L2.0021390	Chimera Shallow Lightbank with Brackets for S60	
L2.0021389	Chimera Lightbank with Brackets for S60	
L2.0008144	DoPchoice SnapGrid 40° for S60	
L2.0008143	DoPchoice SNAPGRID® 40° for SNAPBAG® X21 & S60	
L2.0008145	DoPchoice SnapBag for S60	
L2.0013180	Chimera Lightbank with Brackets for S120-C	
L2.0010382	DoPchoice SnapGrid 40x60° for S120-C	
L2.0010383	DoPchoice SnapBag for S120-C	
L2.0010381	DoPchoice SnapGrid for SnapBag S120-C	
L2.0016383	DoPchoice SnapGrid 40° for S360-C	
L2.0016382	DoPchoice SnapBox for S360-C	
L2.0020278	DoPchoice SnapBag 6'x6' for S360-C	
L2.0020279	DoPchoice SnapGrid 40° for SnapBag S360-C	
L2.0015977	Chimera Universal Brackets for SkyPanel (suitable for S30 / S60 / S120-C)	
L2.0033950	Chimera POP Bank for S360-C	

**VIDEO PRO PLUS SOFTBOXES**

- | | | |
|------------|---|--|
| L2.76719.0 | Chimera Lightbank Video Pro Plus "XS"
incl. 3 front screens (8115)
size: 16 x 22" / 40 x 55 cm; depth: 12" / 30 cm
(ARRI 300 Plus) | |
| L2.70844.0 | Chimera Lightbank Video Pro Plus "S"
incl. 3 front screens (8125)
size: 24 x 32" / 60 x 80 cm; depth: 18" / 45 cm
(L5, L7, True Blue D5, ARRILITE 750 Plus, ARRI 300 Plus, ARRI 650 Plus & True Blue T1) | |

QUARTZ PLUS SOFTBOXES

- | | | |
|------------|---|--|
| L2.89055.0 | Chimera Lightbank Quartz Plus "M"
incl. 3 front screens (8435)
size: 36 x 48" / 90 x 120 cm; depth: 29" / 75 cm
(L10, M8, M18 & M40) | |
| L2.89056.0 | Chimera Lightbank Quartz Plus "L"
incl. 3 front screens (8445)
size: 54 x 72" / 135 x 180 cm; depth: 38" / 95 cm
(ARRISUN 5 Event) | |

DAYLIGHT JUNIOR SOFTBOXES

- | | | |
|------------|---|--|
| L2.89053.0 | Chimera Lightbank Daylite Junior Plus "S"
incl. 3 front screens (8225)
size: 24 x 32" / 60 x 80 cm; depth: 27" / 70 cm
(L7, True Blue D5 & True Blue T1) | |
|------------|---|--|

**ACCESSORY HOLDERS & SPEED RINGS**

L2.89068.0	Speed Ring circular (9670) (168 mm / 6.6") fits Video Pro Lightbanks (L5 & ARRI 650 Plus)	
L2.89074.0	Speed Ring circular metal (9670AL) (168 mm / 6.6") - fits Video Pro Lightbanks (ARRI 650 Plus)	
L2.89069.0	Speed Ring circular (9672) (168 mm / 6.6") fits Daylite Junior Lightbanks (ARRI 650 Plus)	
L2.76246.0	Speed Ring circular (9190) (197 mm / 7.8") fits Video Pro Lightbanks (L7, True Blue D5 & T1)	
L2.76247.0	Speed Ring circular (9305) (343 mm / 13.5") fits Quartz/Daylite Lightbanks (L10, M18, True Blue D25, T5 & ST2/3)	
L2.89062.0	Speed Ring circular (9365) (411 mm / 16.2") fits Quartz/Daylite Lightbanks (M40, True Blue D40 & True Blue ST5)	
L2.89077.0	Speed Ring circular (9445) (530 mm / 20.9") for Quartz/Daylite Lightbanks (ARRISUN 5 Event)	
L2.89064.0	Speed Ring circular (9464) (735 mm / 29.0") for Daylite Senior Lightbanks (STUDIO T24)	
L2.36780.0	Accessory Holder for ARRILITE 750 Plus	



GRIP

[Click here for more product related information | ARRI.com](#)



CLAMPS

L2.30992.0	ARRI Swiveling / Noga Arm	
L2.76989.0	ARRI Swiveling C Clamp (C150)	
L2.88726.0	ARRI Quick Action Super Clamp - black (635)	
L2.0005201	Ceiling Scissor Clamp with 5/8" spigot	

ADAPTERS

L2.0008070	V-Mount Battery Adapter Plate (SkyPanel)	
L2.0008082	Rail Mount Adapter for SkyPanel PSU	
L2.0006921	Super Clamp Adapter for SkyPanel PSU	
L2.0014566	Space Light Silk Mounting Adapter for S60	
L2.88212.0	Double female adapter 16 mm - 17 mm Pin (E400) (LE.4000.A)	

SPIGOTS

L2.40701.3	Spigot 28 mm, long, with flange & allen screw, fits profile stirrups without sleeve cuff	
L2.40701.4	Spigot 28 mm with 16 mm socket, without flange, with screw (for stand operation)	
L2.76986.0	Stud 16 mm with thread 3/8" (036-38), plugs into Superclamp (035)	

**OTHER**

L2.74144.0 Ballast mount bracket with 16 mm socket



L2.0000885 T12 Top latch for heavy accessories

**YOKES**

L2.0048577 X21 Manual Yoke incl. Spigot

L2.0048843 X21 P.O. Yoke incl. Spigot



L2.0049573 X Modular Yoke, incl. Spigot

L2.0049570 X23 Modular Frame, incl. Daisy Chain Cabling
Ethernet & PowerL2.0049577 X22 Modular Frame, incl. Daisy Chain Cabling
Ethernet & PowerL0.0049837 X Modular System, incl. X Modular Yoke,
X22 & X23 Modular Frames with Daisy Chain
Cabling Ethernet & PowerL2.0049276 SkyPanel X Twin Quick-Lock
without Spigot/Clamp

L2.0034025 Orbiter Manual Yoke with Spigot

L2.0036642 Orbiter P.O. Yoke with Spigot

L2.0008078 Center Mount Yoke (SkyPanel)

L2.0008080 Fixed Center Mount Yoke (SkyPanel)

L2.0015929 Short Yoke for SkyPanel S360-C (incl. Pin)

**SAFETY CABLES**

L2.0008899	Safety cable (3 mm) 0.6 m, max. load 5 kg for ARRILITE 750 Plus, ARRI 150, ARRI 300 Plus & ARRI 650 Plus
L2.0020919	Safety cable (4 mm) 1 m, max. load 16 kg for X21, S30, L5, L7, M8, M18, ARRISUN 5 Event, ARRISUN 18 Event, True Blue D5, D12, ARRILITE 2000 Plus, True Blue T1, T2, ST1 & ST1/2 Theater
L2.0007590	Safety cable (5 mm) 1 m, max. load 25 kg for X21, Orbiter, S60, S120-C, L10, M40, True Blue D25, D40, T5, ST2/3 & ST5
L2.0014058	Safety cable (6 mm) 1 m, max. load 36 kg for X22/X23, Compact 2500 Theater, Compact 4000 Theater, STUDIO T12 & ST5 Theater
L2.0009000	Safety cable (8 mm) 1 m, max. load 64 kg for X22/X23, S360-C & M90
L2.0015517	Safety cable (10 mm) 1 m, max. load 100 kg for X22/X23, ARRIMAX 18/12, ARRI Daylight 18/12 & STUDIO T24



CABLES

[Click here for more product related information | ARRI.com](#)



MAINS CABLES - powerCON TRUE1 TOP with line switch

L2.0001486 powerCON TRUE1 TOP, 3 m, Schuko (16 A),
with line switch



L2.0003678 powerCON TRUE1 TOP, 3 m, Chinese (16 A),
with line switch



L2.0008904 powerCON TRUE1 TOP, 3 m, Japanese (15 A),
with line switch



L2.0024627 powerCON TRUE1 TOP, 3 m, Bare Ends (16 A),
with line switch

L2.0001487 powerCON TRUE1 TOP, 7 m, Edison (15 A),
with line switch



MAINS CABLES - powerCON TRUE1 TOP

L2.0001485 powerCON TRUE1 TOP, 1.5 m, Bare Ends (16 A)



L2.0007516 powerCON TRUE1 TOP, 3 m, Schuko (16 A)

L2.0007515 powerCON TRUE1 TOP, 3 m, Edison (15 A)

L2.0049581 powerCON TRUE1 TOP, 3 m, Chinese (10 A)

L2.0007514 powerCON TRUE1 TOP, 3 m, Chinese (16 A)



L2.0010231 powerCON TRUE1 TOP, 3 m, Japanese (15 A)

L2.0050711 powerCON TRUE1 TOP, 3 m, Australian (10 A)



L2.0005974 powerCON TRUE1 TOP, 3 m, Bare Ends / CE (16 A)

L2.0049452 powerCON TRUE1 TOP, 3 m, Bare Ends / UL (20 A)

MAINS CABLES - powerCON 32 A

L2.0015784 powerCON for S360-C, 3 m, Schuko (32 A)

L2.0015785 powerCON for S360-C, 3 m, Edison (32 A)

L2.0015786 powerCON for S360-C, 3 m, Chinese (32 A)



L2.0015787 powerCON for S360-C, 3 m, Japanese (32 A)

L2.0015788 powerCON for S360-C, 3 m, Bare Ends (32 A)

**DAISY CHAIN CABLES - powerCON TRUE1 TOP**

L2.0010633	powerCON TRUE1 TOP, 3 m, CE	
L2.0012548	powerCON TRUE1 TOP, 3 m, UL	
L2.0012663	powerCON TRUE1 TOP, 3 m, Japanese	
L2.0049353	powerCON TRUE1 TOP, 0.8 m, CE	

DC CABLES

L2.0007492	DC cable 0.5 m (XLR3) SkyPanel
L2.0007491	DC cable 1 m (XLR3) SkyPanel
L2.0007493	DC cable 3 m (XLR3) SkyPanel
L2.0007494	DC cable 10 m (XLR3) SkyPanel
L2.0007860	DC cable 15 m (XLR3) SkyPanel
L2.0016030	DC cable 5 m (4-Pin 30 A) SkyPanel S360-C
L2.0016031	DC cable 10 m (4-Pin 30 A) SkyPanel S360-C

CONTROL CABLES

L2.0033799	Cable for Control Panel, 5 m
L2.0033800	Cable for Control Panel, 15 m
L2.0013861	SkyPanel Remote USB cable, 5 m

DMX CABLES

L2.0033530	DMX data cable, 2,5 m (XLR 5)	
L2.0033531	DMX data cable, 5 m (XLR 5)	
L2.0033532	DMX data cable, 10 m (XLR 5)	

**HEAD-TO-BALLAST CABLES**

L2.75600.0	Head-to-Ballast cable 575/800/1200/1800 W, 7 m, International connector (VEAM)	
L2.75620.0	Head-to-Ballast cable 2500/4000 W, 7 m, International connector (VEAM)	
L2.75620.C	Head-to-Ballast cable 2500/4000 W, 15 m, International connector (VEAM)	
L2.77940.0	Head-to-Ballast cable 6000/9000 W, 7 m, International connector (VEAM)	
L2.77940.A	Head-to-Ballast cable 6000/9000 W, 15 m, International connector (VEAM)	
L2.82294.0	Head-to-Ballast/Dimmer cable 12/18/24 kW, 15 m, International connector (VEAM)	
L2.82294.A	Head-to-Ballast/Dimmer cable 12/18/24 kW, 20 m, International connector (VEAM)	

MISCELLANEOUS

L2.0051206	DMX Adapter Set, 0.2 m Set of 3: RJ45/DMX In, RJ45/DMX Out, RJ45/RJ45	
L2.0049357	Daisy Chain Cable, 0.8 m Ethernet	
L2.82297.0	Mains cable 125 A / 230 V, 7 m, International connector (Cannon / CEE blue)	



STANDS, WHEELS & OPERATING POLES

[Click here for more product related information | ARRI.com](#)



LIGHTWEIGHT STANDS FOR KITS

L2.76975.0 Small ARRI Kit Stand LS.1 (050KA) - black aluminium lightweight stand, 2 risers, height 73 - 230 cm, closed 67 cm, spigot 16 mm, max. load 5 kg (fit wheels: 110) for ARRI 150



L2.76965.0 Compact ARRI Kit Stand LS.01 (050MKA) - black aluminium lightweight stand, 3 risers, height 90 - 260 cm, closed 76 cm, spigot 16 mm, max. load 5 kg (fit wheels: 110) for L5, ARRILITE 750 Plus, ARRI 150, ARRI 300 Plus & ARRI 650 Plus

L2.76976.0 Medium ARRI Kit Stand LS.2 (050A) - black aluminium lightweight stand, 2 risers, height 110 - 260 cm, closed 88 cm, spigot 16 mm, max. load 5 kg (fit wheels: 110) for L5, ARRILITE 750 Plus, ARRILITE 2000 Plus, ARRI 300 Plus & ARRI 650 Plus



LIGHTING STANDS - ALUMINIUM

L2.8803653 Master Stand (1004BAC) - black aluminium stand, 3 risers, height 124...366 cm, closed 107 cm, spigot 16 mm, max. load 9 kg for L7, ARRILITE 750 Plus, ARRILITE 2000 Plus & True Blue T1

L2.8803225 Combo Alu Stand (A1035B) - black aluminium stand, 2 risers, height 168 - 350 cm, closed 142 cm, with 16 mm & 28 mm fitting, max. load 30 kg (fit wheels 90000A) for True Blue ST5

**LIGHTING STANDS - STEEL**

L2.8803224	Combo Steel Stand (A1035CS) - chrome steel stand, 3 risers, height 168 - 350 cm, closed 142 cm, with 16 mm & 28 mm fitting, max. load 40 kg (fit wheels 90000A) for True Blue ST1
------------	---

OPERATING POLES

L2.89079.0	Operating pole 4 m (427B-4,0), 4 sections, 3 rises, tube diameters: 28, 24, 20, 16 mm, min.: 140 cm, max.: 400 cm	
L2.89080.0	Operating pole 6.5 m (427B-6,5), 4 sections, 3 rises, tube diameters: 28, 24, 20, 16 mm, min.: 199 cm, max.: 650 cm	



CASES (EMPTY)

[Click here for more product related information | ARRI.com](#)



Orbiter CASES & BAGS

- | | |
|------------|---|
| L2.0034626 | Orbiter Case (Offers space for Orbiter, Yoke, Antenna, Control Panel, Protective Cap, Cables, Barndoors, Rain Cover and Skid) / Hard, empty |
| L2.0034624 | Bag for Orbiter Optics (Offers space for 15°, 30°, 60° Open Face Optics and Protective Cap) / Soft, empty |



SKYPANEL CASES

- | | |
|------------|--|
| L2.0010639 | Case for SkyPanel S30 - Molded Single (88 x 16 x 59 cm / 34,6 x 6,3 x 23,2"), empty |
| L2.0013694 | Case for SkyPanel S120-C - Molded, Center M. (146 x 53 x 29 cm / 57,3 x 20,7 x 11,2"), empty |
| L2.0016354 | Case for SkyPanel S360-C - Hard, Single (166 x 54 x 143 cm / 65.3 x 21.2 x 56.1"), empty |

SKYPANEL ACCESSORY BAGS

- | | |
|------------|---|
| L2.0008306 | Accessory Bag for SkyPanel S60 (for max. 4 diffusion panels or honeycombs), empty |
|------------|---|



TRANSPORT CASES ARRILITE & TRUE BLUE

- | | |
|------------|---|
| L2.76956.P | Case for 2 lampheads, empty (70 x 39 x 37 cm / 27.6 x 15.4 x 14.6") for ARRILITE 2000 Plus & True Blue T1 |
| L2.36806.0 | Case for 3 lampheads (81 x 36 x 34 cm / 31.9 x 14.2 x 13.4"), empty, for ARRILITE 750 Plus |





LAMPS

[Click here for more product related information | ARRI.com](#)



DAYLIGHT

L2.0003874	Lamp DIS 575 W/SE G22 UV-B (Koto) for ARRISUN 5 Event & True Blue D5	
L2.37240.0	Lamp HMI Digital 800 W/SE G22 UVS (Osram) for M8	
L2.0003885	Lamp DIS 1200 W/SE G38 UV-B (Koto) for M18, ARRISUN 18 Event & True Blue D12	
L2.89254L0	Lamp HMI Digital 1200 W/SE G38 UVS (Osram) for M18, ARRISUN 18 Event & True Blue D12	
L2.37590.0	Lamp HMI Digital 1800 W/SE G38 UVS (Osram) for M18	
L2.0003883	Lamp DIS 2500 W/SE G38 UV-B (Koto) for M40, True Blue D25 & Compact 2500 Theater	
L2.0048682	Lamp HMI Digital 2500 W/SE G38 UVS (Osram) for M40, True Blue D25 & Compact 2500 Theater	
L2.0048683	Lamp HMI Digital 4000 W/SE G38 UVS (Osram) for M40, True Blue D40 & Compact 4000 Theater	
L2.0003881	Lamp DIS 6000 W/SE G38 UV-B (Koto) for Compact 6000 Plus, X60 & ARRISUN 60	
L2.0048681	Lamp HMI Digital 6000 W/SE G38 UVS (Osram) for M90, Compact 6000 Plus, X60 & ARRISUN 60	
L2.37482.0	Lamp HMI Digital 9000 W/SE GX38 UVS (Osram) for M90	
L2.0003880	Lamp DIS 12000 W/SE G38 UV-B (Koto) for ARRIMAX 18/12	
L2.0047830	Lamp HMI Digital 18000 W/SE GX51 UVS (Osram) for ARRIMAX 18/12	
L2.89260.0	Lamp HMI 18000 W/DE XS S30 (Osram) for ARRI Daylight 18/12	

**TUNGSTEN**

L2.89202.0	Lamp 150 W 230 V GX6,35 (Osram) for ARRI 150	
L2.89203.0	Lamp 300 W 240 V GY9,51 CP81 (Osram) for ARRI 300 Plus	
L2.89205.0	Lamp 650 W 230 V GY9,5 FRL CP89 (Osram) for ARRI 650 Plus	
L2.36800.0	Lamp 750 W / 230 V G9,5 2-Pin HPL (Osram) for ARRILITE 750 Plus	
L2.89208.0	Lamp 1000 W 230 V G22 FKJ CP71 (Osram) for True Blue T1, ST1 & ST1/2 Theater	
L2.89213.0	Lamp 2000 W 230 V G38 FKK CP73 (Osram) for True Blue T2 & ST2/3	
L2.89218.0	Lamp 20000 W 230 V G38 CP99 (Osram) for STUDIO T24	



LENSES

[Click here for more product related information | ARRI.com](#)



DROP-IN LENSES

L0.77863.0 4 DROP-IN lens set (175 mm / 6.9") (spot, narrow flood, flood, super flood) for ARRISUN 5 Event



L2.77872.0 DROP-IN lens, super flood frosted, honeycomb, silver (175 mm / 6.9") for ARRISUN 5 Event



DROP-IN LENSES

L0.76818.0 4 DROP-IN lens set (250 mm / 9.8"), incl. case (spot, narrow flood, flood, super flood) for ARRISUN 18 Event



DROP-IN LENSES

L2.76868.0 DROP-IN lens, narrow flood, small rectangle, black (300 mm / 11.8") for AS 40



L2.76869.0 DROP-IN lens, flood, large rectangle, green (300 mm / 11.8") for AS 40



L2.76870.0 DROP-IN lens, super flood, honeycomb, red (300 mm / 11.8") for AS 40



L2.76871.0 DROP-IN lens, super flood frosted, honeycomb, silver (300 mm / 11.8") for AS 40



L2.77926.0 DROP-IN lens, narrow flood, small rectangle, black (500 mm / 19.7") for ARRISUN 120



L2.77924.0 DROP-IN lens, flood, large rectangle, green (500 mm / 19.7") for ARRISUN 120



L2.77925.0 DROP-IN lens, super flood, honeycomb, red (500 mm / 19.7") for ARRISUN 120





OTHER ACCESSORIES

[Click here for more product related information | ARRI.com](#)



POWER SUPPLY

L2.0007735	Power Supply Unit for S30 - blue/silver
L2.0012491	Power Supply Unit for S60/S120-C - blue/silver
L2.0015249	Power Supply Unit for S360-C - blue/silver

CONVERSION KITS

L2.37682.2	Conversion Kit from AS18 to M18: MAX Reflector, three brackets and one top latch	
L2.37385.0	Conversion Kit from M40 to AS40: PAR Reflector, three brackets and one top latch	
L2.37388.0	Conversion Kit from AS40 to M40: MAX Reflector, three brackets and one top latch	
L2.33811.0	Conversion Kit from TRUE BLUE ST1 and T2 to theatre version: theatre cassette with barndoor insert (theatre cassette)	
L2.34065.0	Conversion Kit from TRUE BLUE ST5 to theatre version: theatre cassette with barndoor insert (theatre cassette)	
L2.83396.0	Retrofit lampcarriage with fan for STUDIO T24 (200 V version)	

REFLECTOR

L2.37940.0	Spot reflector 8° - 15° HPA for ARRIMAX 18/12
------------	---



MISCELLANEOUS

L2.0039421	Orbiter Docking Ring	
L2.0037805	Orbiter Rain Cover	
L2.0034272	Orbiter Skid silver	
L2.0039329	Orbiter Skid black	
L2.0048935	Orbiter Accessories Protection Cap	
L2.0042990	Rain Cover for S60	
L2.82296.0	Dimmer ADM 24, 24 kW / 230 V, with lamp hour counter, XLR-5 pin connector for remote control, pre-heat function, international connector, blue standard housing with handle	
L2.36770.0	Lamp cooling adapter for ARRILITE 750 Plus	



This page is intentionally left blank.



All deliveries, services, offers and contracts are exclusively subject to our currently applicable General Sale And Delivery Terms & Conditions for Merchants. Refer to the next page for further details.

Technical data, specifications, accessories, scope of delivery and all other descriptions are subject to change without notice.

Photos presented may vary from actual products.

No Warranty. Changes in type and quantity, ability to deliver as well as errors and literal mistakes are reserved.

ARRI Sales Departments: www.arri.com/en/contact

ARRI, the ARRI logo, ARRIMAX, ARRISUN, EB, **LIOS**, L-Series, MAX Technology, M-Series, Orbiter, POCKETPAR, Quick Lighting Mount, QLM, True Blue, SkyPanel, SKYPANEL, Stellar, and T12 as well as the blue/silver color combination are registered trademarks of Arnold & Richter Cine Technik GmbH & Co. Betriebs KG.

© 2024 Arnold & Richter Cine Technik GmbH & Co. Betriebs KG. Reproduction and circulation in whole or in parts without prior permission is prohibited. All rights reserved.

Technical Service

Arnold & Richter Cine Technik GmbH & Co. Betriebs KG

Flintsbacher Straße 1 - 5

D-83098 Brannenburg

Germany

Hotline: +49 (0) 89 20604 6611

E-Mail: service-lighting@arri.de

URL: www.arri.com/service-lighting



1. General; Scope

The terms and conditions delineated herein shall be the sole terms and conditions which apply to all of ARRI's current and future business transactions. Unless ARRI has approved of such in writing, any terms or conditions which conflicts with, deviate from or modify the terms and conditions delineated herein shall not be binding on ARRI irrespective of whether ARRI had prior notice of such terms or conditions. ARRI hereby expressly objects to any such conflicting, deviating or modified terms or conditions.

2. Contract Formation

2.1 Any offers made by ARRI shall be without obligation and subject to change without notice provided that the parties have not agreed to a lock-up period.

2.2 The customer is bound to its order for a period of four weeks after its receipt by ARRI. A contract is deemed to exist upon the customer's receipt of ARRI's written confirmation regarding the order or the effective delivery of the applicable goods to the customer pursuant to the terms hereof.

2.3 The scope and type of delivery for an order shall be established solely through ARRI's written confirmation relating to such order. Any errors omissions in ARRI's sales prospectus, price lists, offer documents or other related documentation may be amended without ARRI incurring any liability for damages or compensation in relation to such errors or omissions.

3. Payment, Set-Off, Withholding

3.1 The purchase price for the contract shall be that price which is specified by ARRI for such contract and shall apply ex works, exclusive of any value added tax; if the price is not indicated, the price list then in effect shall apply. If the sale has occurred through delivery to a place other than the place of performance (at the customer's request), any costs incurred for packaging, shipping, freight, customs or other related costs will be charged separately. If the customer fails to accept delivery when tendered by ARRI, it must nevertheless make payment.

3.2 In the event that the manufacturing costs for the contracted goods (including, but not limited to, wages, salaries, materials or production costs) rise subsequent to formation of the contract, ARRI shall have the right to increase the purchase price in accordance therewith.

3.3 Invoices from ARRI are due upon ARRI making the goods available to the customer and are payable without deductions within 10 days of the issuance thereof. Upon a default in payment, any overdue amounts will accrue interest at a rate of 8% above the basic interest rate. ARRI reserves its right to assert any further claims regarding damages resulting from a default.

3.4 The customer can offset its payments only if its counterclaim thereto have been judicially sustained or recognized by a declaratory judgment. A right to withholding shall only apply to counterclaims arising specifically from the contract which is the subject of such withholding.

4. Delivery

4.1 The dates for delivery and/or the making available of the goods are not binding unless a date for such has been agreed to in writing by ARRI.

4.2 ARRI is entitled to carry out advance and/or partial deliveries of the goods.

4.3 In the event that ARRI is unable to deliver or make the goods available to the customer due to events of force majeure lasting for a period of three months or more, ARRI's obligation to deliver or make the goods available shall be deemed extinguished in its entirety.

4.4 ARRI shall be entitled to postpone delivery or availability of the goods for the entire duration of the force majeure events.

4.5 Events of force majeure shall be deemed to be any events which are beyond ARRI's control and which make delivery impossible or unreasonably difficult, including, for example, strikes, lawful lockouts, war, import or export prohibitions, scarcity of energy supplies or raw materials, or the delayed delivery to ARRI of goods required for the performance of its obligations hereunder for reasons beyond ARRI's control. If ARRI is released from its obligations as described in Section 4.3 above, the customer shall be entitled to rescind the applicable contract. Compensation for damages for nonperformance can be claimed by the customer only if the default in delivery is due to ARRI's gross negligence or is intentionally caused by ARRI.

5. Transfer of Risk

5.1 The risk of loss or damage to the goods passes to the buyer as soon as ARRI has dispatched the goods from its premises (i.e., plant, factory or warehouse) or upon the surrendering of the goods to the applicable carrier or to the customer itself, as the case may be. The above shall also apply in the event that ARRI serves as the carrier for the goods.

5.2 If the forwarding or collection of the goods is delayed due to reasons attributable to the customer, the risk of loss shall be transferred to the customer upon the readiness of the goods for dispatch.

6. Defective Goods

6.1 The customer must inspect the delivered goods immediately upon its receipt of such. The customer must notify ARRI in writing of any apparent defects within one week of the goods' receipt. ARRI must be notified of hidden defects in writing within two weeks of their emergence but in no event later than one year after delivery of such goods.

In the event that the customer fails to meet the aforementioned notification obligations, the goods shall be deemed to have been accepted and the rights set forth in Sections 6.2

and 6.3 below shall not be in effect.

6.2 In the event that the customer has notified ARRI of defects in a timely manner and is thus eligible to make a claim for re-performance, ARRI shall have the right, at its own cost, either to remedy the defect or to redeliver conforming goods.

6.3 If ARRI twice fails to remedy a defect or if ARRI is otherwise unable to accomplish its re-performance obligation or fails to do so within a time period reasonably set forth by the customer, the customer shall be entitled to reduce the purchase price under the contract or to cancel the contract. Instead of seeking performance, the customer can make a claim for damages or for compensation for expenses. However, if the customer elects to rescind the contract it shall have no right to make any claim for damages with respect to the defective goods.

6.4 Provided that ARRI has not acted fraudulently, any claims of the customer regarding the goods shall become void and unenforceable one year after delivery of the applicable goods.

6.5 The prescription period of one year in Section 6.4 above shall be replaced by a prescription period of two years for goods from the product range „Light“ of ARRI that are distributed under the brand „ARRI“.

7. Liability

7.1 ARRI shall be liable for any damage hereunder caused by it intentionally or caused by its gross negligence.

7.2 In the event of simple negligence by ARRI, ARRI shall be liable only for ordinary and foreseeable damage arising from the contract, and only to the extent that ARRI has breached material contractual obligations. Further, in the event of simple negligence by ARRI, ARRI shall be liable for personal injury and/or health-related damage attributable to ARRI.

7.3 ARRI shall not be liable for consequential damages and unforeseen damages (including consequential damages resulting from defective goods) as well as loss of profits in the event it has acted with simple negligence.

7.4 ARRI shall be subject to no liability beyond that which is delineated in this Section 7.

7.5 To the extent that ARRI's liability is excluded or limited, such exclusion or limitation shall apply to any persons or entities employed by ARRI in the performance of its contractual obligations.

7.6 The limitations of liability delineated herein shall not apply to any legally prescribed strict liability, in particular any such strict liability arising from laws regarding guarantees or product warranties.

8. Retention of Title

8.1 Ownership of the delivered goods shall remain with ARRI until it has received full payment for such goods. Title to the goods shall first pass to the customer upon ARRI's receipt of all payments which are due under the current applicable contract.

8.2 Prior to obtaining title to the goods, the customer is not entitled to pledge, to assign by way of security, to process or to alter the goods. The customer is, however, authorized to sell the goods to third parties in the ordinary course of business unless a non-assignability agreement regarding the consideration exists between the customer and the third party. If a third party acquires an interest in the goods through a resale to such party, the customer agrees to assign to ARRI all of its correlating rights and claims against such third party. ARRI hereby accepts such assignment.

8.3 Any combination, amalgamation and/or processing of the goods (sections 947, 948 and 950 BGB [German Civil Code]) shall be deemed to have been made on behalf of ARRI. ARRI shall acquire title to the resulting product in the ratio of the invoiced value of the goods and services provided by ARRI to the total invoiced value of the resulting product. If the goods have been resold to a third party, the assignment of rights and claims performed in accordance with Section 8.2 above shall be valid solely up to the amount of the invoiced value of goods and services provided by ARRI.

8.4 Upon a default in payment by the customer, ARRI has the right to disclose to any applicable third party that it holds an interest in the goods pursuant to the assignment delineated above and to assert any of its claims directly. The customer is obligated to provide and deliver to ARRI all documentation required for the assertion of such claims. The customer must also make available to ARRI, completely and in a timely fashion, all information about any events that might affect the obligations described above.

9. Jurisdiction; Governing Law

9.1 The parties hereto agree that the exclusive jurisdiction for any transaction and/or contract between the parties is Munich, Germany.

9.2 The relationship of the parties hereto shall be exclusively governed by and in all respects construed in accordance with the laws of the Federal Republic of Germany with no application whatsoever of the United Nations sales law.

¹ Kaulfleute as defined in the HGB [German Commercial Code]

Revision: 25th October 2024

Registered Office: Munich

Trade Register: Municipal Court Munich, HRA 57918

General Partner: Arnold & Richter Cine Technik GmbH & Co. Betriebs KG

Registered Office: Munich

Trade Register: Municipal Court Munich, HRB 54477

Managing Board: Stefan Mairiedl

Chairman of the Advisory Board: Prof. Dr. Hans-Joerg Bullinger

VAT No: DE 129725260



www.arri.com