



America


CERTIFICATE

No. U8 14 09 13563 105

Holder of Certificate: Arnold & Richter Cine Technik GmbH & Co Betriebs KG

Pulvermühle
83071 Stephanskirchen
GERMANY

Certification Mark:



Product: Spotlight
Daylight luminaires for professional use

The product was voluntarily tested according to the relevant safety requirements noted above. It can be marked with the certification mark above. The mark must not be altered in anyway. This product certification system operated by TÜV SÜD America Inc. most closely resembles system 3 as defined in ISO/IEC Guide 67. Certification is based on the TÜV SÜD "Testing and Certification Regulations". TÜV SÜD America Inc. is an OSHA recognized NRTL and a Standards Council of Canada accredited certification body.

Test report no.: 028-713031179-000



Date, 2014-10-15

Page 1 of 2



America

CERTIFICATE

No. U8 14 09 13563 105

Model(s): Type: ARRIMAX 18/12, Model: L1.3795x.y
 Type: AS40/25, Model: L1.3730x.y
 Type: M40/25, Model: L1.3740x.y
 Type: M90, Model: L1.3748x.y
 Type: M8, Model: L1.3720x.y
 Where x can be any number and describes mostly the colour of the housing.
 Where y can be any letter and describes the different versions of design.

Brand Name: **ARRI**

Parameters: Rated power / Rated current / Rated voltage /
 Rated frequency

Type: ARRIMAX 18/12, Model: L1.3795x.y:
 12000W / 84,0 A / 160V AC /
 50 - 100Hz (with 12kW lamp)
 18000W / 88,0 A / 225V AC /
 50 - 100Hz (with 18kW lamp)

Type: AS40/25, Model: L1.3730x.y and
 M40/25, Model: L1.3740x.y:
 2500 W / 25,6 A / 115V AC /
 50 - 100 Hz (with 2500 W lamp)

Type: AS40/25, Model: L1.3730x.y and
 Type: M40/25, Model: L1.3740x.y:
 4000 W / 24,0 A / 200 V AC /
 50 - 100 Hz (with 4000 W lamp)

Type: M90, Model: L1.3748x.y
 6000 W / 55,0 A / 123V AC /
 50 - 100 Hz (with 6000 W lamp)
 9000 W / 56,0 A / 160 V AC /
 50 - 100 Hz (with 9000 W lamp)

Type: M8, Model: L1.3720x.y
 800 W / 8,5 A / 95 V AC /
 50 - 100 Hz (with 800 W lamp)

Protection class: I
 Degree of protection: IP23

Tested according to: UL 1573:2003, 4th edition
 CAN/CSA C22.2 No. 166-M1983
 CAN/CSA C22.2 No. 9.0/(R2011)
 CAN/CSA C22.2 No. 9.0S1/(R2011)

Production Facility(ies): 13563