




Product Service

# CERTIFICATE

No. Z1A 12 04 13563 081

**Holder of Certificate: Arnold & Richter Cine Technik GmbH & Co Betriebs KG**Pulvermühle  
83071 Stephanskirchen  
GERMANY**Certification Mark:****Product: Luminaires  
(Daylight luminaires for professional use)**

The product meets the safety and health requirements of the German Product Safety Act section 20 to 22 ProdSG. The certification marks shown above can be affixed on the product. It is not permitted to alter the certification marks in any way. In addition the certificate holder must not transfer the certificate to third parties. This certificate is valid until the listed date, unless it is cancelled earlier. See also notes overleaf.

Test report no.: 028-713002381-000

Valid until: 2017-04-17

Date, 2012-04-20

(Josef Wörl)

Page 1 of 3





Product Service

**CERTIFICATE**

No. Z1A 12 04 13563 081

<b>Model(s):</b>	<p>Type: COMPACT 125, models: L1.7135x.y  Type: COMPACT 575, models: L1.7377x.y  Type: COMPACT 1200, models: L1.737xx.y  Type: COMPACT 2500, models: L1.736xx.y  Type: COMPACT 4000, models: L1.740xx.y  Type: COMPACT 6000 Plus, models : L1.7572x.y  Type: COMPACT 12000, models: L1.7579x.y  Type: AD 18/12 plus, models: L1.7116x.y  <b>Remark:</b>  Where "x" can be any number and describes mostly the colour of the housing. Where "y" can be any letter and describes the different versions of design.</p>
<b>Brand Name:</b>	<b>ARRI</b>
<b>Parameters:</b>	<p>Protection class: I  Degree of protection: IP23    Further parameter see attachment.</p>
<b>Tested according to:</b>	<p>EN 60598-1/A11:2009  EN 60598-2-17/A2:1991  EN 62493:2010</p>
<b>Factory(ies):</b>	13563



### Parameter

Rated voltage:	COMPACT 125:	80V
	COMPACT 575:	95V
	COMPACT 1200:	100V
	COMPACT 2500:	115V
	COMPACT 4000:	200V
	COMPACT 6000 plus:	123V
	COMPACT 12000:	160V
	AD 18/12 plus:	160V (with 12 kW lamp)
	AD 18/12 plus:	225V (with 18 kW lamp)

Rated power/ Rated current:	COMPACT 125:	125W / 1,9A
	COMPACT 575:	575W / 7,0A
	COMPACT 1200:	1200W / 13,8A
	COMPACT 2500:	2500W / 25,6A
	COMPACT 4000:	4000W / 24,0A
	COMPACT 6000Plus:	6000W / 55,0A
	COMPACT 12000:	12000W / 84,0A
	AD 18/12 plus:	12000W / 84,0A (with 12 kW lamp)
	AD 18/12 plus:	18000W / 88,0A (with 18 kW lamp)

Rated frequency: 50 to 100 Hz

Protection class: I

Degree of protection: IP23

Munich, 2012-04-20

Josef Wörl